

Object :
Installation :
Project number :
Date :

1 Luminaire data

1.1 ANSELL Lighting, LAMPARA INOX Wall Light E27 (ALE27/WL/SS)

1.1.1 Data sheet

Manufacturer: ANSELL Lighting

ALE27/WL/SS LAMPARA INOX Wall Light E27


Luminaire data

Luminaire efficiency : 61.8%
Luminaire efficacy : 8.06 lm/W
Classification : A31 ↓93.1% ↑6.9%
CIE Flux Codes : 35 62 83 93 62
UGR 4H 8H : 21.3 / 21.4
Power : 102 W
Luminous flux : 821.9 lm

Dimensions : Ø160 mm x 170 mm


Equipped with

Quantity : 1
Designation : 100Watt E27
Colour : 2700
Luminous flux : 1330 lm
Colour reproduction : 1



1.1 ANSELL Lighting, LAMPARA INOX Wall Light E27 (ALE27/WL/SS)

1.1.2 LDC



Manufacturer	: ANSELL Lighting	Efficiency factor	: 61.8%
Order number	: ALE27/WL/SS	Luminaire efficacy	: 8.06 lm/W (A31)
Luminaire name	: LAMPARA INOX Wall Light E27	Light distribution	: asymmetric
Equipment	: 1 x 100Watt E27 102 W / 1330 lm	Beam Angle	: 44.8° C0
Dimensions	: D 160 mm x H 170 mm		: 57.7° C90
File name	: ALE27_WL_SS.ltd		: 56.1° C180
			: 45.4° C270

1 Luminaire data

1.2 Ansell Lighting, Parona LED (APCLEDWL)

1.2.1 Data sheet

Manufacturer: Ansell Lighting

APCLEDWL Parona LED


Luminaire data

Luminaire efficiency : 85.1%
Luminaire efficacy : 44.68 lm/W
Classification : B22 ↓68.1% ↑31.9%
CIE Flux Codes : 28 63 87 68 85
UGR 4H 8H : 21.1 / 24.3
Power : 4 W
Luminous flux : 178.7 lm

Dimensions : 34 mm x 63 mm x 25 mm

Equipped with


Quantity : 1
Designation : OSRAM LCW
CR7P EC
700mA
Colour :
Luminous flux : 210 lm



Object :
Installation :
Project number :
Date :

1.2 Ansell Lighting, Parona LED (APCLEDWL)

1.2.2 LDC



Manufacturer : Ansell Lighting
Order number : APCLEDWL
Luminaire name : Parona LED
Equipment : 1 x OSRAM LCW CR7P EC 700mA 4
Dimensions : L 34 mm x W 63 mm x H 25 mm
File name : rlx_20170825223019.ltd

Efficiency factor : 85.1%
Luminaire efficacy : 44.68 lm/W (B22)
Light distribution : -- C0
Beam Angle : -- C90
-- C180
-- C270