



2011

wiring accessories  
and part M  
building regulations



### 13A SWITCHED SOCKET OUTLETS

BS 1363

1 Gang DP	<b>4304/D/GRY</b>
1 Gang DP fitted with neon indicator	<b>4304/3D/GRY</b>
2 Gang DP Outboard Rockers	<b>4307/GRY</b>
2 Gang DP Outboard Rockers with neon indicator	<b>4307/3/GRY</b>

<b>Dimensions</b>	1 Gang 86mm x 86mm
	2 Gang 146mm x 86mm

- Shallow back projection for ease of installation in a 25mm deep back box
- Fitted with two earth terminals for use where compliance with BS7671:2008 regulation 543-7 (IEE wiring Regulations)



### 13A FUSED CONNECTION UNITS

BS 1363

DP Switched	<b>4827/GRY</b>
DP Switched with neon indicator	<b>4827/3/GRY</b>

<b>Dimensions</b>	86mm x 86mm
-------------------	-------------

- Fitted with knock-out position in bottom edge of plate for use with or without cord outlet. Suitable for flexible cord up to 10mm outside diameter
- Shallow back projection for ease of installation in a 25mm deep back box



### 32A DP CONTROL SWITCH

BS EN 60669-1

Fitted with neon indicator	<b>4013/3/GRY</b>
----------------------------	-------------------

<b>Dimensions</b>	86mm x 86mm
-------------------	-------------

- Fitted with knock-out position in bottom edge of plate for use with or without cord outlet. Suitable for flexible cord up to 10mm outside diameter



### COMMUNICATION PLATE

BS 5733 Where Applicable

2 module moulded	<b>7091/GRY</b>
4 module moulded	<b>7094/GRY</b>

<b>Dimensions</b>	86mm x 86mm
-------------------	-------------

<b>Dimensions</b>	1 Gang 86mm x 86mm
	2 Gang 146mm x 86mm




### COMMUNICATION MODULES

RJ45 Cat 5e Euro Module	<b>7172</b>
TV Outlet (male)	<b>7065</b>
TV Outlet (female)	<b>7067</b>
F Type Satellite Euro Module	<b>7069</b>
Triplex unit (TV, FM, Sat)	<b>7063</b>
Blank 1 Module	<b>7081</b>
Blank 1/2 Module	<b>7081/2</b>

<b>Dimensions</b>	25 x 50mm (1 Module)
	(except 7063 - 50mm x 50mm)

For other Communication Modules please refer to Page 23 of the Crabtree 2010 Wiring Accessories Catalogue.



7009

## SEEK LIGHT

LED Seek/Night Light 7009

- Fits all Crabtree 1 Gang in size light switch plates.
- The seek light comes on when the switch is turned off.
- The seek light requires a filament type bulb to operate correctly.

**Dimensions** 94mm x 94mm



5170/GRY

## 10AX CORINTHIAN PLATE SWITCH

BS EN 60669-1

10AX 1 Gang 2 way SP 5170/GRY

10AX 2 Gang 2 way SP 5172/GRY

10AX 3 Gang 2 way SP 5173/GRY

20AX 1 Gang Intermediate 5175/GRY

10AX 1 Gang Retractive 5177/GRY

**Dimensions** 86mm x 86mm

Fully rated for fluorescent or inductive loads.

- Clip on trim conceals fixing screws



4170/GRY

4172/GRY

## 10AX PLATE SWITCHES

BS EN 60669-1

10AX 1 Gang 2 way SP 4170/GRY

10AX 2 Gang 2 way SP 4172/GRY

10AX 1 Gang Intermediate 4175/GRY

**Dimensions** 86mm x 86mm

Fully rated for fluorescent or inductive loads.

## GRID PLATES

1 Gang Plate for Capital grid 5571/GRY

2 Gang Plate for Capital grid 5572/GRY

3 Gang Plate for Capital grid 5573/GRY

4 Gang Plate for Capital grid 5574/GRY

6 Gang Plate for Capital grid 5576/GRY

## GRID YOKES

1 Gang Capital grid 6901


2 Gang Capital grid 6902

3 Gang Capital grid 6903

4 Gang Capital grid 6904

6 Gang Capital grid 6906

**Dimensions** 1 Gang 86mm x 86mm  
2 Gang 146mm x 86mm



5572/GRY

6902

## 10AX GRID SWITCHES

BS EN 60669-1

10AX 1 way Grid Switch 4430/GRY

10AX 2 way Grid Switch 4530/GRY

10A Retractive Grid Switch 4489/GRY

## 20AX GRID SWITCHES

20AX 1 way Grid Switch 4450/GRY

20AX 2 way Grid Switch 4550/GRY

20AX DP Grid Switch 4460/GRY

20AX Intermediate Switch 4535/GRY



4450/GRY

4550/GRY

4460/GRY



**Electrium**



ELECTRIUM SALES LIMITED A SIEMENS COMPANY  
Commercial Centre, Lakeside Plaza, Walkmill Lane, Bridgtown, Cannock WS11 0XE.  
eMail: [info@electrium.co.uk](mailto:info@electrium.co.uk) Web: [www.electrium.co.uk](http://www.electrium.co.uk)

**UK SALES**

Telephone: 01543 455010 Facsimile: 01543 455011 eMail: [crabtree.sales@electrium.co.uk](mailto:crabtree.sales@electrium.co.uk)

**TECHNICAL**

Telephone: 01543 438310 Facsimile: 01543 438311 eMail: [crabtree.technical@electrium.co.uk](mailto:crabtree.technical@electrium.co.uk)

**EXPORT SALES**

Telephone: +44 1543 455049 Facsimile: +44 1543 455048 eMail: [export@electrium.co.uk](mailto:export@electrium.co.uk)

**DUBAI OFFICE**

Telephone: +971 4 3660687 Facsimile: +971 4 3660676 eMail: [btlv.sales.ae@siemens.com](mailto:btlv.sales.ae@siemens.com)

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Latest details can be obtained from Crabtree.

Publication No. B2045 11/10  
Printed in England.