SL

making connections beautifully

Wiring Accessories • Circuit Protection • Smart Lighting Control & Multi-room Audio

712XTSPB-B

Hartland Polished Brass 2 gang Multi-Way Touch Slave Controller Polished Brass/Black

Item Image Wiring **Dimensions** Hamilton HARTLAND 2XTS Multi-WayTouch Slave Controller Multi- Way Wiring using Slave module(s) Primary Range Hartland Insert Type 2 gang Multi-Way Touch Slave Controller Plate Finish Hartland GRID-IT Polished Brass Insert Colour Polished Brass/Black EAN13 Barcode 5028690211433 Dimensions (Nominal) Single: Height = 88.0mm Width = 88.0mm Depth = 5.0mm Fixing Hole Centres Box Fixing = 60.3mm Grid Fixing = 49.2mm Minimum Wall Box Depth 35mm Wattage The same as Touch Master or Ceiling Dimmer Switched Poles N/A Current Rating The same as Touch Master or Ceiling Dimmer 220/250V AC Voltage Maximum Load The same as Touch Master 50Hz Mains Frequency IP Rating IP2XD Contact Gap Minimum N/A Terminal Capacity 1 2 x 1mm2 Terminal Capacity 2 2 x 1.5mm2 Earth Terminal Capacity 1 5 x 1mm2 Earth Terminal Capacity 2 4 x 1.5mm2 Earth Terminal Capacity 3 3 x 2.5mm2 Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 5 1 x 6mm2 Product Class 1 Face plate must be earthed -5° to +40°C **Ambient Operating Temperature** Recommended Location Internal Use Only

Due to manufacturing processes we cannot guarantee an exact colour match and shadings of the limitations of reproduction and printing process and are not binding. of certain finishes R Hamilton & Co Ltd, Unit 10 Carrick Business Centre, 4-5 Bonville Road, Brislington, Bristol, BS4 5NZ

2000m

BS EN 60669-2-1

used with Touch Master Dimmers

Registered Office 1 Rushmills, Bedford Road, Northampton NN4 7YB Registered in London No. 941624 VAT Registration No. 222 6607 84

Hartland is a Registered Trade Mark No. 2344778

All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System.

Maximum Installation Altitude

Standard/Approval

Additional Notes

Patents and Trademarks

All products listed conform to current British or

European standard and the product information is

correct at the time of going to press.

Illustrations and diagrams are reproduced within

T: +44 (0)1747 860088 F: +44 (0)1179 710414 E: info@hamilton-litestat.com www.hamilton-litestat.com



Tungsten filament GU10 lamps must be branded with a fuse base. When using mains voltagehalogen lamps- dimmers should be de-rated by 25%. When using mains voltage halogen load transformer - maximum rating is 210VA. To only be





It is the policy of the company to improve products

as part of our development programme Therefore, we reserve the right to alter designs and dimensions without prior notice.



Correct as at 16 October 2018 12:53 PM







Wiring Accessories • Circuit Protection • Smart Lighting Control & Multi-room Audio