Hamilton

making connections beautifully

Wiring Accessories • Circuit Protection • Smart Lighting Control & Multi-room Audio 7G24SS2SS-W Hartland G2 Satin Stainless Steel 2 gang 13A Double Pole Switched Socket Satin Stainless Steel/White Item Image Wiring Dimensions HartLand G2 SS2 Switched Socket 144.4 100 Primary Range Hartland G2 Insert Type 2 gang 13A Double Pole Switched Socket Plate Finish Hartland G2 Satin Stainless Steel Insert Colour Satin Stainless Steel/White EAN13 Barcode 5051164002411 Commodity Code 85363010 Luckins TSI 407518441 **Dimensions** (Nominal) Double: Height = 87.4mm Width = 144.4mm Depth = 4.65mm Fixing Hole Centres Box Fixing = 120.6mm Minimum Wall Box Depth 35mm Switched Poles Double Current Rating 13 Amp Voltage 220/250V AC Maximum Load 13 Amp Mains Frequency 50Hz IP Rating IP2XD Contact Gap Minimum 3mm **Terminal Capacity 1** 4 x 2.5mm2 Terminal Capacity 2 3 x 4mm2 2 x 6mm2 Multi-Strand Terminal Capacity 3 **Terminal Capacity 4** 1 x 10mm2 Earth Terminal Capacity 1 4 x 2.5mm2 Earth Terminal Capacity 2 3 x 4mm2 Earth Terminal Capacity 3 2 x 6mm2 Multi-strand Earth Terminal Capacity 4 1 x 10mm2 Product Class 1 Must be earthed Ambient Operating Temperature -5° to +40°C **Recommended Location** Internal Use Only Maximum Installation Altitude 2000m Standard/Approval BS 1363-2 Additional Notes Dual Earth: Yes Patents and Trademarks Hartland G2 is a Registered Trade Mark No UK00003388376 All products listed conform to current British or European standard and the product information is All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. It is the policy of the company to improve products as part of our development programme. correct at the time of going to press. Therefore, we reserve the right to alter designs and dimensions without prior notice. Illustrations and diagrams are reproduced within Due to manufacturing processes we cannot guarantee an exact colour match and shadings of Correct as at 14 August 2019 04:04 PM the limitations of reproduction and printing E&OE process and are not binding. of certain finishes R Hamilton & Co Ltd, Unit 10 Carrick Business Centre, 4-5 Bonville Road, Brislington, Bristol, BS4 5NZ Listed in STrimble **SECA** T: +44 (0)1747 860088 F: +44 (0)1179 710414 Registered Office 1 Rushmills, Bedford Road, Northampton NN4 7YB LUCKINS E: info@ hamilton-litestat.com www.hamilton-litestat.com Registered in London No. 941624 VAT Registration No. 222 6607 84

SL