Hamilton

making connections beautifully

Wiring Accessories • Circuit Protection • Smart Lighting Control & Multi-room Audio 7G29FNAB-R Hartland G2 Antique Brass 1 gang 13A Fuse with Neon Halo Antique Brass/Red Item Image Wiring Dimensions Hemilton HARTLAND G2 FN Fuse with Red Neon Halo - 4.65 æ 87.4 13A 250V BS5733 87.4 Hartland G2 Primary Range Insert Type 1 gang 13A Fuse with Red Neon Halo Plate Finish Hartland G2 Antique Brass Insert Colour Antique Brass/Red EAN13 Barcode 5051164003173 Commodity Code 85361050 Luckins TSI 407521412 **Dimensions** (Nominal) Single: Height = 87.4mm Width = 87.4mm Depth = 4.65mm Fixing Hole Centres Box Fixing = 60.3mm Minimum Wall Box Depth 35mm Switched Poles None Current Rating 13 Amp Voltage 220/250V AC Maximum Load 13 Amp Mains Frequency 50Hz IP Rating IP2XD Contact Gap Minimum 3mm **Terminal Capacity 1** 3 x 2.5mm2 Terminal Capacity 2 2 x 4mm2 Multi Strand **Terminal Capacity 3** 1 x 6mm2 Earth Terminal Capacity 1 6 x 1mm2 Earth Terminal Capacity 2 5 x 1.5mm2 Earth Terminal Capacity 3 3 x 2.5mm2 Earth Terminal Capacity 4 2 x 4mm2 Multi-strand Earth Terminal Capacity 5 1 x 6mm2 Product Class 1 Must be earthed Ambient Operating Temperature -5° to +40°C Internal Use Only **Recommended Location** Maximum Installation Altitude 2000m Standard/Approval BS 5733 with Fuse link to BS 1362 Patents and Trademarks Hartland G2 is a Registered Trade Mark No UK00003388376 All products listed conform to current British or All accessories are manufactured under an accredited It is the policy of the company to improve products European standard and the product information is BS EN ISO 9001 : 2015 Quality Management System. as part of our development programme correct at the time of going to press. Therefore, we reserve the right to alter designs and dimensions without prior notice. Illustrations and diagrams are reproduced within Due to manufacturing processes we cannot Correct as at 14 August 2019 04:05 PM guarantee an exact colour match and shadings of the limitations of reproduction and printing E&OE process and are not binding. of certain finishes. R Hamilton & Co Ltd, Unit 10 Carrick Business Centre, 4-5 Bonville Road, Brislington, Bristol, BS4 5NZ See EC T: +44 (0)1747 860088 F: +44 (0)1179 710414 E: info@hamilton-litestat.com www.hamilton-litestat.com Registered Office 1 Rushmills, Bedford Road, Northampton NN4 7YE Registered in London No. 941624 VAT Registration No. 222 6607 84 LUCKINS