




882J45B

Sheer Black Nickel 2 gang RJ45 CAT 5E Outlet - Unshielded Black

Item Image	Wiring	Dimensions																																													
	 <p>RJ45 CAT5e and CAT6 Wiring Colour Codes</p> <table border="1" data-bbox="803 583 966 674"> <thead> <tr> <th>Pin</th> <th>EIA Wiring Schedule</th> <th>Colour Codes</th> <th>ISDN Schedule</th> <th>Colour Codes</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>WHITE / Green</td> <td>WHITE / Orange</td> <td>WHITE / Green</td> <td>WHITE / Orange</td> </tr> <tr> <td>2</td> <td>GREEN / White</td> <td>ORANGE / White</td> <td>ORANGE / White</td> <td>ORANGE / White</td> </tr> <tr> <td>3</td> <td>WHITE / Orange</td> <td>BLUE / White</td> <td>WHITE / Green</td> <td>BLUE / White</td> </tr> <tr> <td>4</td> <td>BLUE / White</td> <td>WHITE / Blue</td> <td>WHITE / Blue</td> <td>WHITE / Blue</td> </tr> <tr> <td>5</td> <td>WHITE / Blue</td> <td>WHITE / Orange</td> <td>WHITE / Blue</td> <td>WHITE / Orange</td> </tr> <tr> <td>6</td> <td>ORANGE / White</td> <td>WHITE / Brown</td> <td>WHITE / Brown</td> <td>WHITE / Brown</td> </tr> <tr> <td>7</td> <td>WHITE / Brown</td> <td>BROWN / White</td> <td>BROWN / White</td> <td>BROWN / White</td> </tr> <tr> <td>8</td> <td>BROWN / White</td> <td>BROWN / Brown</td> <td>BROWN / Brown</td> <td>BROWN / Brown</td> </tr> </tbody> </table> <p>Please always check with the colour coding found on the product.</p>	Pin	EIA Wiring Schedule	Colour Codes	ISDN Schedule	Colour Codes	1	WHITE / Green	WHITE / Orange	WHITE / Green	WHITE / Orange	2	GREEN / White	ORANGE / White	ORANGE / White	ORANGE / White	3	WHITE / Orange	BLUE / White	WHITE / Green	BLUE / White	4	BLUE / White	WHITE / Blue	WHITE / Blue	WHITE / Blue	5	WHITE / Blue	WHITE / Orange	WHITE / Blue	WHITE / Orange	6	ORANGE / White	WHITE / Brown	WHITE / Brown	WHITE / Brown	7	WHITE / Brown	BROWN / White	BROWN / White	BROWN / White	8	BROWN / White	BROWN / Brown	BROWN / Brown	BROWN / Brown	 <p>Hamilton® SHEER 2J45 2 gang RJ45 - CAT 5E Outlet Unshielded 8 wire</p>
Pin	EIA Wiring Schedule	Colour Codes	ISDN Schedule	Colour Codes																																											
1	WHITE / Green	WHITE / Orange	WHITE / Green	WHITE / Orange																																											
2	GREEN / White	ORANGE / White	ORANGE / White	ORANGE / White																																											
3	WHITE / Orange	BLUE / White	WHITE / Green	BLUE / White																																											
4	BLUE / White	WHITE / Blue	WHITE / Blue	WHITE / Blue																																											
5	WHITE / Blue	WHITE / Orange	WHITE / Blue	WHITE / Orange																																											
6	ORANGE / White	WHITE / Brown	WHITE / Brown	WHITE / Brown																																											
7	WHITE / Brown	BROWN / White	BROWN / White	BROWN / White																																											
8	BROWN / White	BROWN / Brown	BROWN / Brown	BROWN / Brown																																											
Primary Range	Sheer																																														
Insert Type	2 gang RJ45 CAT 5E Outlet - Unshielded																																														
Plate Finish	Sheer Box Black Nickel																																														
Insert Colour	Black																																														
EAN13 Barcode	5028690881742																																														
Dimensions (Nominal)	Single: Height = 86.0mm Width = 86.0mm Depth = 1.5mm																																														
Fixing Hole Centres	Box Fixing = 60.3mm Grid Fixing = N/A																																														
Minimum Wall Box Depth	35mm																																														
Switched Poles	N/A																																														
IP Rating	IP2XD																																														
Contact Gap Minimum	N/A																																														
Earth Terminal Capacity 1	5 x 1mm ²																																														
Earth Terminal Capacity 2	4 x 1.5mm ²																																														
Earth Terminal Capacity 3	3 x 2.5mm ²																																														
Earth Terminal Capacity 4	1 x 4mm ² Multi-strand																																														
Earth Terminal Capacity 5	1 x 6mm ²																																														
Product Class 1	Must be earthed (ref BS7671 415.2.1)																																														
Ambient Operating Temperature	-5° to +40°C																																														
Recommended Location	Internal Use Only																																														
Maximum Installation Altitude	2000m																																														
EuroFix Additional Notes	Can be used in both EIA 568A and EIA 568B wiring schedules																																														
Patents and Trademarks	Sheer is a Registered Trade Mark No. 2296586																																														
All products listed conform to current British or European standard and the product information is correct at the time of going to press.	All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System.	It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.																																													
Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding.	Due to manufacturing processes we cannot guarantee an exact colour match and shadings of of certain finishes.	Correct as at 17 October 2018 10:02 AM E&OE																																													

R Hamilton & Co Ltd, Unit 10 Carrick Business Centre, 4-5 Bonville Road, Brislington, Bristol, BS4 5NZ
T: +44 (0)1747 860088 F: +44 (0)1179 710414
E: info@hamilton-litestat.com www.hamilton-litestat.com

Registered Office 1 Rushmills, Bedford Road, Northampton NN4 7YB
Registered in London No. 941624 VAT Registration No. 222 6607 84

