Standard/Approval

Additional Notes

Patents and Trademarks

All products listed conform to current British or

European standard and the product information is

correct at the time of going to press.

making connections beautifully

Wiring Accessories • Circuit Protection • Smart Lighting Control & Multi-room Audio

901XTSPB-B

Cheriton Georgian Polished Brass 1 gang Multi-Way Touch Slave Controller Polished Brass/Black

Item Image Wiring **Dimensions** Hemilton
CHERITON GEORGIAN
1XTS
Multi-WayTouch Slave Controller Multi- Way Wiring using Slave module(s) Primary Range Cheriton Insert Type 1 gang Multi-Way Touch Slave Controller Plate Finish Cheriton Georgian GRID-IT Polished Brass Insert Colour Polished Brass/Black EAN13 Barcode 5028690351429 Dimensions (Nominal) Single: Height = 88.0mm Width = 88.0mm Depth = 10.5mm Fixing Hole Centres Box Fixing = 60.3mm Grid Fixing = 49.2mm Minimum Wall Box Depth 35mm Wattage The same as Touch Master or Ceiling Dimmer Switched Poles N/A Current Rating The same as Touch Master or Ceiling Dimmer 220/250V AC Voltage Maximum Load The same as Touch Master 50Hz Mains Frequency IP Rating IP2XD Contact Gap Minimum N/A Terminal Capacity 1 2 x 1mm2 Terminal Capacity 2 2 x 1.5mm2 Earth Terminal Capacity 1 5 x 1mm2 Earth Terminal Capacity 2 4 x 1.5mm2 Earth Terminal Capacity 3 3 x 2.5mm2 Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 5 1 x 6mm2 Product Class 1 Face plate must be earthed -5° to +40°C **Ambient Operating Temperature** Recommended Location Internal Use Only Maximum Installation Altitude 2000m

Illustrations and diagrams are reproduced within
the limitations of reproduction and printing
process and are not binding.

Due to manufacturing pro
guarantee an exact colour m
of certain fini

BS EN 60669-2-1

should be de-rated by 25%. Who used with Touch Master Dimmers

Cheriton is a Registered Trade Mark No. 2344779

All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System.

Due to manufacturing processes we cannot guarantee an exact colour match and shadings of of certain finishes.

It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.

Correct as at 12 October 2018 04:40 PM E&OE





Tungsten filament GU10 lamps must be branded with a fuse base. When using mains voltagehalogen lamps-dimmers



When using mains voltage halogen load transformer - maximum rating is 210VA. To only be











Wiring Accessories • Circuit Protection • Smart Lighting Control & Multi-room Audio