SL

## making connections beautifully

Wiring Accessories • Circuit Protection • Smart Lighting Control & Multi-room Audio

IR21PB-W Grid-IT 10AX 2 Way Rocker Module Polished Brass/White Item Image Wiring **Dimensions** GRID-IT Primary Range Insert Type 10AX 2 Way Rocker Module Plate Finish GRID-IT Module No Plate Colour Insert Colour Polished Brass/White EAN13 Barcode 5017504070939 Switched Poles Single Current Rating 10AX Voltage 220/250V AC Maximum Load 10 Amp inductive 50Hz Mains Frequency IP2XD IP Rating Contact Gap Minimum 3mm Terminal Capacity 1 5 x 1mm2 Terminal Capacity 2 4 x 1.5mm2 Terminal Capacity 3 1 x 2.5mm2 Terminal Capacity 4 1 x 4mm2 Multi-strand **Terminal Capacity 5** 1 x 6mm2

Internal Use Only Recommended Location Maximum Installation Altitude 2000m Standard/Approval BS EN 60669-1 Module Size Height = 51mm Width = 23mm Depth = 21mm All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. All products listed conform to current British or European standard and the product information is correct at the time of going to press.

5 x 1mm2

4 x 1.5mm2

3 x 2.5mm2

1 x 6mm2

-5° to +40°C

1 x 4mm2 Multi-strand

Face plate must be earthed

It is the policy of the company to improve products as part of our development programme Therefore, we reserve the right to alter designs and dimensions without prior notice

> Correct as at 15 October 2018 09:55 AM E&OE

R Hamilton & Co Ltd, Unit 10 Carrick Business Centre, 4-5 Bonville Road, Brislington, Bristol, BS4 5NZ : +44 (0)1747 860088 F: +44 (0)1179 710414 :: info@hamilton-litestat.com www.hamilton-litestat.com

Registered Office 1 Rushmills, Bedford Road, Northampton NN4 7YB Registered in London No. 941624 VAT Registration No. 222 6607 84

Due to manufacturing processes we cannot guarantee an exact colour match and shadings of

of certain finishes.











Illustrations and diagrams are reproduced within the limitations of reproduction and printing

process and are not binding

Earth Terminal Capacity 1

Earth Terminal Capacity 2

Earth Terminal Capacity 3

Earth Terminal Capacity 4

Earth Terminal Capacity 5

Ambient Operating Temperature

Product Class 1