

making connections beautifully

Wiring Accessories • Circuit Protection • Smart Lighting Control & Multi-room Audio

LDR322RB-RBB

Item Image	Wiring 2 Way Switch Switch 2 Way Switch 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Dimensions		
		Hamilton LINEA DUO CFX R322 Intermediate Rocker		
			86.0	
			Primary Range	Linea-Duo CFX
		Insert Type	2 gang 20AX Intermediate Rocker	
Plate Finish	Linea-Duo CFX Richmond Bronze Frame/Richmond Bronze			
Insert Colour	Richmond Bronze/Black			
EAN13 Barcode	5017504040987			
Dimensions (Nominal)	Single: Height = 86.0mm Width = 86.0mm Depth = 4.0mm			
Fixing Hole Centres	Box Fixing = 60.3mm Grid Fixing = CFX Clips			
Minimum Wall Box Depth	35mm			
Switched Poles	Single			
Current Rating	20AX			
Voltage	220/250V AC			
Maximum Load	20 Amp inductive			
Mains Frequency	50Hz			
P Rating	IP2XD			
Contact Gap Minimum	3mm			
Ferminal Capacity 1	5 x 1mm2			
Ferminal Capacity 2	4 x 1.5mm2			
Ferminal Capacity 3	2 x 2.5mm2			
Ferminal Capacity 4	2 x 4mm2 Multi-strand			
Ferminal Capacity 5	1 x 6mm2			
Earth Terminal Capacity 1	6 x 1mm2			
Earth Terminal Capacity 2	5 x 1.5mm2			
Earth Terminal Capacity 3	3 x 2.5mm2			
Earth Terminal Capacity 4	2 x 4mm2 Multi-strand			
Earth Terminal Capacity 5	1 x 6mm2			
Product Class 1	Must be earthed			
Ambient Operating Temperature	-5° to +40°C			
Recommended Location	Internal Use Only			
Maximum Installation Altitude	2000m			
Standard/Approval	BS EN 60669-1			
Patents and Trademarks	Linea is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea-Duo CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174			
All products listed conform to current British or European standard and the product information is correct at the time of going to press.	All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System.	It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.		
Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding.	Due to manufacturing processes we cannot guarantee an exact colour match and shadings of of certain finishes.	Correct as at 15 October 2018 08:21 A E&O		

R Hamilton & Co Ltd, Unit 10 Carrick Business Centre, 4-5 Bonville Road, Brislington, Bristol, BS4 5NZ

T: +44 (0)1747 860088 F: +44 (0)1179 710414
E: info@hamilton-litestat.com www.hamilton-litestat.com

Registered Office 1 Rushmills, Bedford Road, Northampton NN4 7YB Registered in London No. 941624 VAT Registration No. 222 6607 84















Wiring Accessories • Circuit Protection • Smart Lighting Control & Multi-room Audio