SL

making connections beautifully

Wiring Accessories • Circuit Protection • Smart Lighting Control & Multi-room Audio


LDTVSATBK-PBB

Linea-Duo CFX Black Nickel Frame/Polished Brass Front 2 gang Non-Isolated TV+Satellite 2in/2out Black

Item Image



Wiring



Dimensions




Plate Finish Linea-Duo CFX Black Nickel Frame/Polished Brass Insert Colour Black EAN13 Barcode 5017504081683 Dimensions (Nominal) Single: Height = 86.0mm Width = 86.0mm Depth = 4.0mm Fixing Hole Centres Box Fixing = 60.3mm Grid Fixing = CFX Clips Minimum Wall Box Depth 35mm Minimum Wall Box Depth 35mm Minimum Wall Box Depth N/A IP Rating IP2XD Contact Gap Minimum N/A Earth Terminal Capacity 1 5 x 1mm2 Earth Terminal Capacity 1 5 x 1mm2 Earth Terminal Capacity 2 4 x 1.5mm2 Earth Terminal Capacity 3 3 x 2.5mm2 Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 5 1 x 6mm2 Product Class 1 Ambient Operating Temperature 5° to +40°C Recommended Location Internal Use Only Maximum Installation Altitude Patents and Trademarks Patents and Trademarks CFX is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patents and Trademarks Linea-Duo CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product Information is correct at the time of going to press. Illustrations and diagrams are reproduced within the limitations of production and printing Due to manufacturing processes we cannot Ucore Text and Standard on the Correct as at 15 October 2018 0823 / guarantee an exact colour match and shadings of	Primary Range	Linea-Duo CFX	
Insert Colour Black EAN13 Barcode 5017504081683 Dimensions (Nominal) Fixing Hole Centres Box Fixing = 60.3mm Grid Fixing = CFX Clips Minimum Wall Box Depth 35mm Switched Poles N/A IP Rating IP2XD Contact Gap Minimum N/A Earth Terminal Capacity 1 Earth Terminal Capacity 2 4 x 1.5mm2 Earth Terminal Capacity 3 3 x 2.5mm2 Earth Terminal Capacity 3 1 x 4mm2 Multi-strand Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 5 1 x 6mm2 Product Class 1 Ambient Operating Temperature -5° to +40°C Recommended Location Maximum Installation Altitude Patents and Trademarks Linea-Duo CFX is a UK Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patents and Trademarks Linea-Duo CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product Information is correct at the time of going to press. Illustrations and diagrams are reproduced within the limitations of production in printing unarted and the product of information is correct at the time of going to press. Black EAN13 Barcode 1 libst Reight = 4.0mm Box Fixing = 60.3mm Width = 86.0mm Depth = 4.0mm Fixing Hole Centres Box Fixing = 60.3mm Width = 86.0mm Depth = 4.0mm Fixing Hole Centres Box Fixing = CFX Clips MAX All products listed conform to current British or European standard and the product Information is correct at the time of going to press. All accessories are manufacturing processes we cannot Therefore, we reserve the right to after designs and dimensions without prior notice. Due to manufacturing processes we cannot Correct as at 15 October 2018 08.23 / guarantee an exact colour match and shadings of	Insert Type	2 gang Non-Isolated TV+Satellite 2in/2out	
EAN13 Barcode 5017504081683 Dimensions (Nominal) Single: Height = 86.0mm Width = 86.0mm Depth = 4.0mm Fixing Hole Centres Box Fixing = 60.3mm Grid Fixing = CFX Clips Minimum Wall Box Depth 35mm Witched Poles IP2XD Contact Gap Minimum N/A Earth Terminal Capacity 1 Earth Terminal Capacity 1 Earth Terminal Capacity 2 4 x 1.5mm2 Earth Terminal Capacity 3 3 x 2.5mm2 Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 5 1 x 6mm2 Product Class 1 Ambient Operating Temperature Recommended Location Maximum Installation Altitude Patents and Trademarks Linea 1 sa Registered Trade Mark No 2398665 Linea is a Registered Trade Mark No 2398665 Linea 1 bux Registered Trade Mark No 2398665 Linea 1 bux Registered Trade Mark No 2398665 Linea 1 bux Registered Trade Mark No 2398665 Linea 2 bux Registered Trade	Plate Finish	Linea-Duo CFX Black Nickel Frame/Polished Brass	
Dimensions (Nominal) Single: Height = 86.0mm Width = 86.0mm Depth = 4.0mm Fixing Hole Centres Box Fixing = 60.3mm Grid Fixing = CFX Clips Minimum Wall Box Depth 35mm N/A IP Rating IP2XD Contact Gap Minimum NA Earth Terminal Capacity 1 5 x 1mm2 Earth Terminal Capacity 2 4 x 1.5mm2 Earth Terminal Capacity 3 3 x 2.5mm2 Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 5 1 x 6mm2 Product Class 1 Ambient Operating Temperature Recommended Location Internal Use Only Maximum Installation Altitude Patents and Trademarks All products listed conform to current British or European standard and the product information is correct at the time of going to press. Business A series are manufactured under an accredited BS EN ISO 9001: 2015 Quarantee an exact colour match and shadings of Due to manufacturing processes we cannot to Correct as at 15 October 2018 08:23.7 EXECUTED ASSES	Insert Colour	Black	
Fixing Hole Centres Box Fixing = 60.3mm Grid Fixing = CFX Clips 35mm Minimum Wall Box Depth 35mm N/A IP Rating IP	EAN13 Barcode	5017504081683	
Minimum Wall Box Depth 35mm Switched Poles N/A IP Rating IP2XD Contact Gap Minimum N/A Earth Terminal Capacity 1 5 x 1mm2 Earth Terminal Capacity 2 4 x 1.5mm2 Earth Terminal Capacity 3 3 x 2.5mm2 Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 5 1 x 6mm2 Product Class 1 Must be earthed (ref BS7671 415.2.1) Ambient Operating Temperature -5° to +40°C Recommended Location Internal Use Only Maximum Installation Altitude 2000m Patents and Trademarks Linea-Duc CFX is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea-Duc CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product information is correct at the time of going to press. All accessories are manufactured under an accredited as part of our development programme. Therefore, we reserve the right to after designs and dimensions without prior notice. BS EN ISO 9001 : 2015 Quality Management System. Correct as at 15 October 2018 08:22 in the limitations of reproduction and printing guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:22 in the limitations of reproduction and printing guarantee an exact colour match and shadings of	Dimensions (Nominal)	Single: Height = 86.0mm Width = 86.0mm Depth = 4.0mm	
Switched Poles N/A IP Rating IP2XD Contact Gap Minimum N/A Earth Terminal Capacity 1 5 x 1mm2 Earth Terminal Capacity 2 4 x 1.5mm2 Earth Terminal Capacity 3 3 x 2.5mm2 Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 5 1 x 6mm2 Product Class 1 Must be earthed (ref BS7671 415.2.1) Ambient Operating Temperature -5° to +40°C Recommended Location Internal Use Only Maximum Installation Altitude 2000 Patents and Trademarks CFX is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea-Duo CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product information is correct at the time of going to press. Bliustrations and diagrams are reproduced within the limitations of reproduction and printing guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 FX	Fixing Hole Centres	Box Fixing = 60.3mm Grid Fixing = CFX Clips	
PRating Pating	Minimum Wall Box Depth	35mm	
Contact Gap Minimum Rarth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Internal Use Only Maximum Installation Altitude Patents and Trademarks Linea is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea-Duo CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product information is correct at the time of going to press. All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. But is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice. Due to manufacturing processes we cannot guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 & E&C.	Switched Poles	N/A	
Earth Terminal Capacity 1 5 x 1mm2 Earth Terminal Capacity 2 4 x 1.5mm2 Earth Terminal Capacity 3 3 x 2.5mm2 Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 5 1 x 6mm2 Product Class 1 Must be earthed (ref BS7671 415.2.1) Ambient Operating Temperature -5° to +40°C Recommended Location Internal Use Only Maximum Installation Altitude 2000m Patents and Trademarks Linea is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product information is correct at the time of going to press. All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. Therefore, we reserve the right to alter designs and dimensions without prior notice. Due to manufacturing processes we cannot guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A guarantee an exact colour match and shadings of Correct as at 15 O	IP Rating	IP2XD	
Earth Terminal Capacity 2 Earth Terminal Capacity 3 3 x 2.5mm2 Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 5 1 x 6mm2 Product Class 1 Ambient Operating Temperature Recommended Location Maximum Installation Altitude Patents and Trademarks Linea is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 CFX is a Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product information is correct at the time of going to press. All accessories are manufactured under an accredited BS EN ISO 9001: 2015 Quality Management System. Bllustrations and diagrams are reproduced within the limitations of reproduction and printing Due to manufacturing processes we cannot guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:234	Contact Gap Minimum	N/A	
Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Must be earthed (ref BS7671 415.2.1) Ambient Operating Temperature Recommended Location Internal Use Only Maximum Installation Altitude 2000m Patents and Trademarks Patents and Trademarks All products listed conform to current British or European standard and the product information is correct at the time of going to press. All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. Blilustrations and diagrams are reproduced within the limitations of reproduction and printing Due to manufacturing processes we cannot guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 / East of the company to improve products and dimensions without prior notice.	Earth Terminal Capacity 1	5 x 1mm2	
Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Maximum Installation Altitude Patents and Trademarks All products listed conform to current British or European standard and the product information is correct at the time of going to press. All products listed conform to going to press. All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. Due to manufacturing processes we cannot the limitations of reproduction and printing guarantee an exact colour match and shadings of 1 x 4mm2 Multi-strand 2 be earthed (ref BS7671 415.2.1) Must be eart	Earth Terminal Capacity 2	4 x 1.5mm2	
Earth Terminal Capacity 5 Product Class 1 Must be earthed (ref BS7671 415.2.1) Ambient Operating Temperature -5° to +40°C Recommended Location Internal Use Only Maximum Installation Altitude 2000m Patents and Trademarks Linea is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea-Duo CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product information is correct at the time of going to press. All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. BIllustrations and diagrams are reproduced within the limitations of reproduction and printing Due to manufacturing processes we cannot guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A EARCH Colour match and shadings of	Earth Terminal Capacity 3	3 x 2.5mm2	
Product Class 1 Ambient Operating Temperature -5° to +40°C Recommended Location Internal Use Only Maximum Installation Altitude 2000m Patents and Trademarks Linea is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea-Duo CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product information is correct at the time of going to press. All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. Illustrations and diagrams are reproduced within the limitations of reproduction and printing Due to manufacturing processes we cannot guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A EACT Colour match and shadings of	Earth Terminal Capacity 4	1 x 4mm2 Multi-strand	
Ambient Operating Temperature -5° to +40°C Recommended Location Internal Use Only Maximum Installation Altitude 2000m Patents and Trademarks Linea is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea-Duo CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product information is correct at the time of going to press. All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. BS EN ISO 9001 : 2015 Quality Management System. Therefore, we reserve the right to alter designs and dimensions without prior notice. Due to manufacturing processes we cannot guarantee an exact colour match and shadings of E&C Correct as at 15 October 2018 08:23 A EXAMPLE OF TRADE OF	Earth Terminal Capacity 5	1 x 6mm2	
Recommended Location Maximum Installation Altitude 2000m Patents and Trademarks Linea is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea-Duo CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product information is correct at the time of going to press. All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. Illustrations and diagrams are reproduced within the limitations of reproduction and printing guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A E&C.	Product Class 1	Must be earthed (ref BS7671 415.2.1)	
Maximum Installation Altitude 2000m Linea is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea-Duo CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product information is correct at the time of going to press. All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. BS EN ISO 9001 : 2015 Quality Management System. Therefore, we reserve the right to alter designs and dimensions without prior notice. Due to manufacturing processes we cannot guarantee an exact colour match and shadings of Correct as at 15 October 2018 08:23 A EACT Colour Patch and Shadings of EACT Correct as at 15 October 2018 08:23 A EACT Colour Patch and Shadings of EACT Correct as at 15 October 2018 08:23 A EACT COLOUR PATCH COLOUR PATCH AND SHADING PATCH PATCH AND SHADING PATCH PATC	Ambient Operating Temperature	-5° to +40°C	
Patents and Trademarks Linea is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea-Duo CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product information is correct at the time of going to press. All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. Illustrations and diagrams are reproduced within the limitations of reproduction and printing guarantee an exact colour match and shadings of Linea is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea is a Registered Trade Mark	Recommended Location	Internal Use Only	
Patents and Trademarks CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea-Duo CFX is a UK Registered Design Certificate No: R21 = 3021173 SS2 = 3021174 All products listed conform to current British or European standard and the product information is correct at the time of going to press. All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. BS EN ISO 9001 : 2015 Quality Management System. Therefore, we reserve the right to alter designs and dimensions without prior notice. BUILUSTRATION OF TOTAL OF THE PRODUCT	Maximum Installation Altitude	2000m	
European standard and the product information is correct at the time of going to press. BS EN ISO 9001 : 2015 Quality Management System. Therefore, we reserve the right to alter designs and dimensions without prior notice. Illustrations and diagrams are reproduced within the limitations of reproduction and printing guarantee an exact colour match and shadings of E&C	Patents and Trademarks	CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B	
the limitations of reproduction and printing guarantee an exact colour match and shadings of E&C	European standard and the product information is		as part of our development programme. Therefore, we reserve the right to alter designs
	the limitations of reproduction and printing	guarantee an exact colour match and shadings of	Correct as at 15 October 2018 08:23 AM E&OE

R Hamilton & Co Ltd, Unit 10 Carrick Business Centre, 4-5 Bonville Road, Brislington, Bristol, BS4 5NZ

T: +44 (0)1747 860088 F: +44 (0)1779 710414
E: info@hamilton-litestat.com www.hamilton-litestat.com Registered of London No. 941624 VAT Registration No. 222 6607 84











