




LSXJ12PB-BSW

Linea-Scala CFX Polished Brass Frame/Bright Steel Front 1 gang RJ12 Outlet - Unshielded White

Item Image	Wiring	Dimensions																																													
	 <table border="1" data-bbox="808 646 966 730"> <thead> <tr> <th>RIGHT</th> <th>LEFT</th> <th>Wiring</th> <th>Colour</th> <th>Socket</th> </tr> </thead> <tbody> <tr> <td>NO USE</td> <td>NO USE</td> <td>NO USE</td> <td>NO USE</td> <td>NO USE</td> </tr> <tr> <td>1</td> <td>GREEN</td> <td>White</td> <td>BLUE</td> <td></td> </tr> <tr> <td>2</td> <td>ORANGE</td> <td>White</td> <td>YELLOW</td> <td></td> </tr> <tr> <td>3</td> <td>WHITE</td> <td>Blue</td> <td>GREEN</td> <td></td> </tr> <tr> <td>4</td> <td>BLUE</td> <td>White</td> <td>RED</td> <td></td> </tr> <tr> <td>5</td> <td>WHITE</td> <td>Orange</td> <td>BLACK</td> <td></td> </tr> <tr> <td>6</td> <td>NO USE</td> <td>Green</td> <td>NO USE</td> <td></td> </tr> <tr> <td colspan="5">MIL VOLTAGE AND/OR SIGNAL CAPACITORS</td> </tr> </tbody> </table>	RIGHT	LEFT	Wiring	Colour	Socket	NO USE	NO USE	NO USE	NO USE	NO USE	1	GREEN	White	BLUE		2	ORANGE	White	YELLOW		3	WHITE	Blue	GREEN		4	BLUE	White	RED		5	WHITE	Orange	BLACK		6	NO USE	Green	NO USE		MIL VOLTAGE AND/OR SIGNAL CAPACITORS					 <p data-bbox="1230 457 1399 529">Hamilton LINEA SCALA CFX J12 1 gang RJ12 Outlet Unshielded 6 wire</p>
RIGHT	LEFT	Wiring	Colour	Socket																																											
NO USE	NO USE	NO USE	NO USE	NO USE																																											
1	GREEN	White	BLUE																																												
2	ORANGE	White	YELLOW																																												
3	WHITE	Blue	GREEN																																												
4	BLUE	White	RED																																												
5	WHITE	Orange	BLACK																																												
6	NO USE	Green	NO USE																																												
MIL VOLTAGE AND/OR SIGNAL CAPACITORS																																															

Primary Range	Linea-Scala CFX
Insert Type	1 gang RJ12 Outlet - Unshielded
Plate Finish	Linea-Scala CFX Polished Brass Frame/Bright Steel
Insert Colour	White
EAN13 Barcode	5017504630553
Dimensions (Nominal)	Single: Height = 91.5mm Width = 91.5mm Depth = 4.0mm
Fixing Hole Centres	Box Fixing = 60.3mm Grid Fixing = CFX Clips
Minimum Wall Box Depth	35mm
Switched Poles	N/A
IP Rating	IP2XD
Contact Gap Minimum	N/A
Earth Terminal Capacity 1	5 x 1mm ²
Earth Terminal Capacity 2	4 x 1.5mm ²
Earth Terminal Capacity 3	3 x 2.5mm ²
Earth Terminal Capacity 4	1 x 4mm ² Multi-strand
Earth Terminal Capacity 5	1 x 6mm ²
Product Class 1	Must be earthed (ref BS7671 415.2.1)
Ambient Operating Temperature	-5° to +40°C
Recommended Location	Internal Use Only
Maximum Installation Altitude	2000m
EuroFix Additional Notes	Can be used as either RJ11 (4 wires) or RJ12 (6 wires)
Patents and Trademarks	Linea is a Registered Trade Mark No 2398665 CFX is a Registered Trade Mark No 2398667 Patent No. GB 2383375B Linea-Perlina CFX SS2 is a UK Registered Design Certificate No. 2066588

All products listed conform to current British or European standard and the product information is correct at the time of going to press.	All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System.	It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.
Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding.	Due to manufacturing processes we cannot guarantee an exact colour match and shadings of of certain finishes.	Correct as at 17 October 2018 08:38 AM E&OE

R Hamilton & Co Ltd, Unit 10 Carrick Business Centre, 4-5 Bonville Road, Brislington, Bristol, BS4 5NZ
 T: +44 (0)1747 860088 F: +44 (0)1179 710414
 E: info@hamilton-litestat.com www.hamilton-litestat.com

Registered Office 1 Rushmills, Bedford Road, Northampton NN4 7YB
 Registered in London No. 941624 VAT Registration No. 222 6607 84



CERT. No. FM12238