SL

making connections beautifully

Wiring Accessories • Circuit Protection • Smart Lighting Control & Multi-room Audio **MOD-DTVMB** EuroFix 25x50mm Module Non-Isolated TV (Male) Black Item Image Wiring **Dimensions** EMC Gasket Conductor Terminal Screw Correct position of conductor, screening braid and cable Primary Range EuroFix Insert Type 25x50mm Module Non-Isolated TV (Male) Plate Finish EuroFix Module No Plate Colour Insert Colour Black EAN13 Barcode 5017504981518 Weight 45 GR Switched Poles N/A IP2XD IP Rating Contact Gap Minimum N/A Earth Terminal Capacity 1 5 x 1mm2 Earth Terminal Capacity 2 4 x 1.5mm2 Earth Terminal Capacity 3 3 x 2.5mm2 Earth Terminal Capacity 4 1 x 4mm2 Multi-strand Earth Terminal Capacity 5 1 x 6mm2 Product Class 1 Must be earthed (ref BS7671 415.2.1) **Ambient Operating Temperature** -5° to +40°C Recommended Location Internal Use Only 2000m Maximum Installation Altitude Note Mains operated and extra low voltage products must not be installed in the same face plate aperture. When installing Additional Notes within the same back box a suitable phase barriers MUST be used to separate the two voltages. See BS 7671 Wiring regulations for further details. EuroFix Additional Notes TV Outlet (IEC 169-2 male socket) Usually used for FM (DAB) outlet FM DC=5-2200 MHz Frequencies 1 Height = 50mm Width = 25mm Depth = 34mm Module Size Patents and Trademarks EuroFix is a Registered Trade Mark No. 2560270 All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System. All products listed conform to current British or It is the policy of the company to improve products European standard and the product information is as part of our development programme correct at the time of going to press. Therefore, we reserve the right to alter designs and dimensions without prior notice. Correct as at 15 October 2018 09:10 AM Illustrations and diagrams are reproduced within Due to manufacturing processes we cannot guarantee an exact colour match and shadings of the limitations of reproduction and printing process and are not binding.

R Hamilton & Co Ltd, Unit 10 Carrick Business Centre, 4-5 Bonville Road, Brislington, Bristol, BS4 5NZ
T: +44 (0)1747 860088 F: +44 (0)1179 710414
Registered Office 1 Rushmills, Bedford Road, Northampton NN4 7YB
Einfo@hamilton-litestat.com www.hamilton-litestat.com www.hamilton











