Hamilton

making connections beautifully

Wiring Accessories • Circuit Protection • Smart Lighting Control & Multi-room Audio PC1XLEDITB100BK Dereeption CEX Plack Nickel 1g 100W LED 2 Wey Push On/Off Peters/ Dimmer Plack Nickel					
			Perception CFX Black Nickel 1g 100W LED 2 Way Push On/Off Rotary Dimmer Black Nickel		
			Item Image	Wiring	Dimensions
OUR WALLPAPER GOES HERE YO YOUR WALLPAPER GOES HERE OUR WALLPAPER GOES HERE YO YOUR WALLPAPER GOES HERE UR WALLPAPER GOES HERE YO		Hemilton PERCEPTION CFX LEDITB LEDITB100 2 Way Dimmer			
YOUR WALL DUR WALL OUR WALL DUR WALL DUR WALL DUR WALL PAPER GOES HERE DUR WALL PAPER GOES HERE					
Primary Range	Perception CFX				
Insert Type	1 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer				
Plate Finish	Perception CFX Clear				
Insert Colour	Black Nickel				
EAN13 Barcode	5017504085988				
	Single: Height = 86.0mm Width = 86.0mm Depth = 4.0mm				
Dimensions (Nominal) Fixing Hole Centres	Box Fixing = 60.3mm Grid Fixing = CFX Push				
	35mm				
Minimum Wall Box Depth	5-100W (10 LED Lamps MAX)				
Wattage Switched Poles	Single				
Current Rating	0.4A				
	230V-240V				
Voltage Maximum Load	5-100W (10 LED Lamps MAX)				
Mains Frequency	5-100W (10 LED Lamps MAX) 50Hz				
IP Rating	IP2XD				
Terminal Capacity 1	2X1mm ²				
Terminal Capacity 2	2X1.5mm ²				
Earth Terminal Capacity 1	5X1mm ²				
Earth Terminal Capacity 2	4X1.5mm ²				
Earth Terminal Capacity 3	3X2.5mm ²				
Earth Terminal Capacity 4	1X4mm ² Multi-Strand				
Earth Terminal Capacity 5	1X6mm²				
Product Class 1	Face plate muct be earthed				
Ambient Operating Temperature	-5°C to +40°C				
Recommended Location	Internal Use Only				
Maximum Installation Altitude	2000m				
Standard/Approval	BS EN 60669-2-1				
Additional Notes	Trailing Edge & Leading Edge Dimmer				
	Perception is a Registered Trade Mark No 2560269				
Patents and Trademarks	CFX is a Registered Trade Mark No 2308667				
All products listed conform to current British or European standard and the product information is correct at the time of going to press.	All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System.	It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.			
Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding.	Due to manufacturing processes we cannot guarantee an exact colour match and shadings of of certain finishes.	Correct as at 16 October 2018 03:05 PM E&OE			
	ad, Brislington, Bristol, BS4 5NZ fice 1 Rushmills, Bedford Road, Northampton NN4 7YB London No. 941624 VAT Registration No. 222 6607 84	Titical in Strimble product selector Display Carl to Milital			

