Hamilton

making connections beautifully

SL

WCMR21SC-W		
Woods Chamfer		Satin Chrome/White
Woods Chamfered Medium Oak 1 gang 10AX 2 Way Rocker Satin Chrome/White		
Item Image	Wiring	Dimensions
		Hemilton Woods Chamfered Edge R21 2 Way Rocker
8 0 8	With the second seco	
Primary Range	Woods	
nsert Type	1 gang 10AX 2 Way Rocker	
Plate Finish	Woods Chamfered Medium Oak	
nsert Colour	Satin Chrome/White	
AN13 Barcode	5017504917210	
imensions (Nominal)	Single: Height = 88.0mm Width = 88.0mm Depth = 13.5mm	
ixing Hole Centres	Box Fixing = 60.3mm Grid Fixing = N/A	
finimum Wall Box Depth	25mm	
witched Poles	Single	
Current Rating	10AX	
oltage	220/250V AC	
laximum Load	10 Amp inductive	
lains Frequency	50Hz	
P Rating	IP2XD	
ontact Gap Minimum	3mm	
erminal Capacity 1	5 x 1mm2	
erminal Capacity 2	4 x 1.5mm2	
erminal Capacity 3	1 x 2.5mm2	
erminal Capacity 4	1 x 4mm2 Multi-strand	
erminal Capacity 5	1 x 6mm2	
arth Terminal Capacity 1	5 x 1mm2	
arth Terminal Capacity 2	4 x 1.5mm2	
arth Terminal Capacity 3	3 x 2.5mm2	
arth Terminal Capacity 3	1 x 4mm2 Multi-strand	
arth Terminal Capacity 5	1 x 6mm2	
roduct Class 1	Must be earthed	
mbient Operating Temperature	-5° to +40°C	
ecommended Location	Internal Use Only	
aximum Installation Altitude	2000m	
tandard/Approval	BS EN 60669-1	
All products listed conform to current British or European standard and the product information is correct at the time of going to press.	All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System.	It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.
Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding.	Due to manufacturing processes we cannot guarantee an exact colour match and shadings of of certain finishes.	Correct as at 17 October 2018 12:04 E&