



DZ5 CE



DZ5 CE/AZ5 CE



AZ5 DE

Single conductor cable ends (Packed in individual bags or "strings" of bags)

| Conductor c.s.a. | Colour | Type | Dimensions | Dimensions | | | | Sold in lots of | Unit reference | Weight per lot |
|---------------------|--------|--------|------------|------------|------|------|------|--------------------|-------------------|-------------------|
| | | | | Ø b | Ø b1 | c | c1 | | | |
| mm ² | AWG | | mm | mm | mm | mm | mm | | kg | |
| 0.25 | 26 | Yellow | Short | 2.2 | 1.2 | 11 | 6.2 | 10x100 | DZ5 CE002L6 | 0.055 |
| | | | Medium | 2.2 | 1.2 | 13 | 8.2 | 10x100 | DZ5 CE002 | 0.060 |
| 0.34 | 24 | Green | Short | 2.2 | 1.2 | 11 | 6.2 | 10x100 | DZ5 CE003L6 | 0.055 |
| | | | Medium | 2.2 | 1.2 | 13 | 8.2 | 10x100 | DZ5 CE003 | 0.060 |
| 0.5 | 22 | White | Short | 3 | 1.4 | 11 | 6.2 | 10x100 | DZ5 CE005L6 (1) | 0.085 |
| | | | Medium | 3 | 1.4 | 13 | 8.2 | 10x100 | DZ5 CE005 (1) | 0.090 |
| | | | Long | 3 | 1.4 | 16.8 | 12 | 10x100 | DZ5 CE005L12 | 0.095 |
| 0.75 | 20 | Blue | Short | 3.1 | 1.6 | 11 | 6.2 | 10x100 | DZ5 CE007L6 (1) | 0.095 |
| | | | Medium | 3.1 | 1.6 | 13 | 8.2 | 10x100 | DZ5 CE007 (1) | 0.100 |
| 1 | 18 | Red | Short | 3.4 | 1.8 | 11.5 | 6.2 | 10x100 | DZ5 CE010L6 (1) | 0.095 |
| | | | Medium | 3.4 | 1.8 | 13.5 | 8.2 | 10x100 | DZ5 CE010 (1) | 0.100 |
| | | | Long | 3.4 | 1.8 | 16.8 | 12 | 10x100 | DZ5 CE010L12 | 0.150 |
| 1.5 | 16 | Black | Short | 4 | 2.1 | 11.5 | 6.2 | 10x100 | DZ5 CE015L6 (1) | 0.110 |
| | | | Medium | 4 | 2.1 | 13.5 | 8.2 | 10x100 | DZ5 CE015 (1) | 0.120 |
| | | | Long | 4 | 2.1 | 22.8 | 17.7 | 10x100 | DZ5 CE0153 (1) | 0.215 |
| 2 | 14 | Yellow | Medium | 4.2 | 2.35 | 14.5 | 8.2 | 10x100 | DZ5 CE020 | 0.135 |
| 2.5 | 14 | Grey | Medium | 4.6 | 2.7 | 14.5 | 8.2 | 10x100 | DZ5 CE025 (1) | 0.150 |
| | | | Long | 4.6 | 2.7 | 24 | 17.7 | 10x100 | DZ5 CE0253 (1) | 0.254 |
| 4 | 12 | Orange | Medium | 5.5 | 3.3 | 17.3 | 9.8 | 10x100 | DZ5 CE042 (1) | 0.300 |
| | | | Long | 5.5 | 3.3 | 25.5 | 17.5 | 10x100 | DZ5 CE043 (1) | 0.455 |
| 6 | 10 | Green | Medium | 7 | 3.95 | 20 | 11.5 | 1x100 | DZ5 CE062 | 0.045 |
| | | | Long | 7 | 3.95 | 26 | 17.5 | 1x100 | DZ5 CE063 | 0.065 |

Single conductor cable ends (In dispenser pack)

| | | | | | | | | | | |
|------|----|-------|--------|-----|-----|------|-----|-------|---------------|-------|
| 0.5 | 22 | White | Medium | 3 | 1.4 | 13 | 8.2 | 5x200 | AZ5 CE005 (1) | 0.140 |
| 0.75 | 20 | Blue | Medium | 3.1 | 1.6 | 13 | 8.2 | 5x200 | AZ5 CE007 (1) | 0.150 |
| 1 | 18 | Red | Medium | 3.4 | 1.8 | 13.5 | 8.2 | 5x200 | AZ5 CE010 (1) | 0.165 |
| 1.5 | 16 | Black | Medium | 4 | 2.1 | 13.5 | 8.2 | 5x200 | AZ5 CE015 (1) | 0.180 |
| 2.5 | 14 | Grey | Medium | 4.6 | 2.7 | 14.5 | 8.2 | 5x100 | AZ5 CE025 (1) | 0.160 |

Single conductor cable ends (Strips of 50, packed in bag)


| | | | | | | | | | | |
|------|----|-------|--------|-----|-----|----|---|-------|------------|-------|
| 0.5 | 22 | White | Medium | 3.1 | 1.3 | 14 | 8 | 10x50 | DZ5 CEB005 | 0.380 |
| 0.75 | 20 | Blue | Medium | 3.3 | 1.5 | 14 | 8 | 10x50 | DZ5 CEB007 | 0.470 |
| 1 | 18 | Red | Medium | 3.5 | 1.7 | 14 | 8 | 10x50 | DZ5 CEB010 | 0.500 |
| 1.5 | 16 | Black | Medium | 4 | 2 | 14 | 8 | 10x50 | DZ5 CEB015 | 0.570 |
| 2.5 | 14 | Grey | Medium | 4.7 | 2.5 | 14 | 8 | 10x50 | DZ5 CEB025 | 0.720 |

Twin conductor cable ends (In dispenser pack)


| Conductor c.s.a. | Colour | Type | Dimensions | Dimensions | | | | Sold in lots of | Unit reference | Weight per lot |
|---------------------|--------|-------|------------|------------|------|------|----|--------------------|-------------------|-------------------|
| | | | | Ø b | Ø b1 | c | c1 | | | |
| mm ² | AWG | | mm | mm | mm | mm | mm | | kg | |
| 2 x 0.75 | 20 | Blue | Medium | 2.8 x 5 | 2 | 15 | 8 | 5x100 | AZ5 DE007 (2) | 0.130 |
| 2 x 1 | 18 | Red | Medium | 3.4 x 5.4 | 2.25 | 15 | 8 | 5x100 | AZ5 DE010 (2) | 0.140 |
| 2 x 1.5 | 16 | Black | Medium | 3.6 x 6.6 | 2.5 | 15 | 8 | 5x100 | AZ5 DE015 (2) | 0.155 |
| 2 x 2.5 | 14 | Grey | Medium | 4.2 x 7.8 | 3.2 | 18.5 | 10 | 5x50 | AZ5 DE025 (2) | 0.145 |

(1) UL certified products.


(2) cCSAus certified products.




| Twin conductor cable ends (Economy packaging, in 1 plastic bag) | | | | | | | | | | |
|---|--------|-------|------------|-----------|------|------|-----------------|----------------|----------------|-------|
| Conductor c.s.a. | Colour | Type | Dimensions | | | | Sold in lots of | Unit reference | Weight per lot | |
| | | | Ø b | Ø b1 | c | c1 | | | | |
| mm ² | AWG | | mm | mm | mm | mm | | | kg | |
| 2 x 0.5 | 22 | White | Medium | 2.5 x 4.7 | 1.7 | 18.5 | 8 | 1x1000 | AZ5 DE005 (2) | 0.110 |
| 2 x 0.75 | 20 | Blue | Medium | 2.8 x 5 | 1.8 | 15 | 8 | 1x1000 | AZ5 DE0071 (2) | 0.120 |
| 2 x 1 | 18 | Red | Medium | 3.4 x 5.4 | 2.05 | 15 | 8 | 1x1000 | AZ5 DE0101 (2) | 0.130 |
| 2 x 1.5 | 16 | Black | Medium | 3.6 x 6.6 | 2.3 | 15 | 8 | 1x1000 | AZ5 DE0151 (2) | 0.145 |
| 2 x 2.5 | 14 | Grey | Medium | 4.2 x 7.8 | 2.9 | 18.5 | 10 | 1x500 | AZ5 DE0255 (2) | 0.090 |




| Single conductor markable cable ends (Packed in "strings" of bags) | | | | | | | | | | |
|--|--------|--------|------------|------|-----|------|-----------------|----------------|----------------|-------|
| Conductor c.s.a. | Colour | Type | Dimensions | | | | Sold in lots of | Unit reference | Weight per lot | |
| | | | Ø b | Ø b1 | c | c1 | | | | |
| mm ² | AWG | | mm | mm | mm | mm | | | kg | |
| 0.25 | 26 | Yellow | Medium | 2.2 | 1.2 | 13 | - | 10x100 | DZ5 CA002 | 0.140 |
| 0.34 | 24 | Green | Medium | 2.2 | 1.2 | 13 | - | 10x100 | DZ5 CA003 | 0.140 |
| 0.5 | 22 | White | Medium | 3 | 1.4 | 13 | - | 10x100 | DZ5 CA005 (1) | 0.160 |
| 0.75 | 20 | Blue | Medium | 3.1 | 1.6 | 13 | - | 10x100 | DZ5 CA007 (1) | 0.160 |
| 1 | 18 | Red | Medium | 3.4 | 1.8 | 13.5 | - | 10x100 | DZ5 CA010 (1) | 0.160 |
| 1.5 | 16 | Black | Medium | 4 | 2.1 | 13.5 | - | 10x100 | DZ5 CA015 (1) | 0.180 |
| 2.5 | 14 | Grey | Medium | 4.6 | 2.7 | 14.5 | - | 10x100 | DZ5 CA025 (1) | 0.250 |




| Single conductor cable ends with facility for clip-in marker tag holder | | | | | | | | | | |
|---|--------|--------|------------|------|------|------|-----------------|----------------|----------------|-------|
| Conductor c.s.a. | Colour | Type | Dimensions | | | | Sold in lots of | Unit reference | Weight per lot | |
| | | | Ø b | Ø b1 | c | c1 | | | | |
| mm ² | AWG | | mm | mm | mm | mm | | | kg | |
| 4 | 12 | Orange | Medium | 5.5 | 3.3 | 19.5 | 11.5 | 10x100 | DZ5 CA042 (1) | 0.300 |
| | | | Long | 5.5 | 3.3 | 25.5 | 17.5 | 10x100 | DZ5 CA043 (1) | 0.460 |
| 6 | 10 | Green | Medium | 7 | 3.95 | 20 | 11.5 | 1x100 | DZ5 CA062 | 0.045 |
| | | | Long | 7 | 3.95 | 26 | 17.5 | 1x100 | DZ5 CA063 | 0.065 |
| 10 | 8 | Brown | Medium | 8.4 | 4.95 | 21.5 | 12 | 1x100 | DZ5 CA102 | 0.057 |
| | | | Long | 8.4 | 4.95 | 27 | 17.5 | 1x100 | DZ5 CA103 | 0.085 |
| 16 | 6 | White | Medium | 8.8 | 6.35 | 23.5 | 12 | 1x100 | DZ5 CA162 | 0.078 |
| | | | Long | 8.8 | 6.35 | 29 | 17.5 | 1x100 | DZ5 CA163 | 0.100 |
| 25 | 4 | Black | Medium | 12 | 8.15 | 30 | 17.5 | 1x100 | DZ5 CA253 | 0.156 |
| 35 | 2 | Red | Medium | 13.5 | 9 | 30 | 16 | 1x20 | DZ5 CA352 | 0.054 |
| | | | Long | 13.5 | 9 | 39 | 25 | 1x20 | DZ5 CA353 | 0.060 |
| 50 | 0 | Blue | Medium | 15.7 | 11 | 36 | 20 | 1x20 | DZ5 CA502 | 0.060 |
| | | | Long | 15.7 | 11 | 41 | 25 | 1x20 | DZ5 CA503 | 0.074 |




(1) UL certified products.
(2) cCSAus certified products.




DZ5 CE



DZ5 CE



AZ5 CE



AZ5 DE

Single conductor cable ends (Packed in individual bags or "strings" of bags)

| Conductor c.s.a. | Colour | Type | Dimensions | | | | Sold in lots of | Unit reference | Weight per lot | |
|------------------|--------|--------|------------|------|------|------|-----------------|----------------|------------------|-------|
| | | | Ø b | Ø b1 | c | c1 | | | | |
| mm ² | AWG | | mm | mm | mm | mm | | | kg | |
| 0.5 | 22 | White | Short | 3 | 1.4 | 11 | 6.2 | 10x100 | DZ5 CE005L6D (1) | 0.085 |
| | | | Medium | 3 | 1.4 | 13 | 8.2 | 10x100 | DZ5 CE005D (1) | 0.090 |
| | | | Long | 3 | 1.4 | 16.8 | 12 | 10x100 | DZ5 CE005L12D | 0.095 |
| 0.75 | 20 | Grey | Short | 3.1 | 1.6 | 11 | 6.2 | 10x100 | DZ5 CE007L6D (1) | 0.095 |
| | | | Medium | 3.1 | 1.6 | 13 | 8.2 | 10x100 | DZ5 CE007D (1) | 0.100 |
| 1 | 18 | Red | Short | 3.4 | 1.8 | 11.5 | 6.2 | 10x100 | DZ5 CE010L6D (1) | 0.095 |
| | | | Medium | 3.4 | 1.8 | 13.5 | 8.2 | 10x100 | DZ5 CE010D (1) | 0.100 |
| | | | Long | 3.4 | 1.8 | 16.8 | 12 | 10x100 | DZ5 CE010L12D | 0.150 |
| 1.5 | 16 | Black | Short | 4 | 2.1 | 11.5 | 6.2 | 10x100 | DZ5 CE015L6D (1) | 0.110 |
| | | | Medium | 4 | 2.1 | 13.5 | 8.2 | 10x100 | DZ5 CE015D (1) | 0.120 |
| | | | Long | 4 | 2.1 | 22.8 | 17.7 | 10x100 | DZ5 CE0153D (1) | 0.215 |
| 2.5 | 14 | Blue | Medium | 4.6 | 2.7 | 14.5 | 8.2 | 10x100 | DZ5 CE025D (1) | 0.150 |
| | | | Long | 4.6 | 2.7 | 24 | 17.7 | 10x100 | DZ5 CE0253D (1) | 0.254 |
| 4 | 12 | Grey | Medium | 5.5 | 3.3 | 17.3 | 9.8 | 10x100 | DZ5 CE042D (1) | 0.300 |
| | | | Long | 5.5 | 3.3 | 25.5 | 17.5 | 10x100 | DZ5 CE043D (1) | 0.455 |
| 6 | 10 | Yellow | Medium | 7 | 3.95 | 20 | 11.5 | 1x100 | DZ5 CE062D | 0.045 |
| | | | Long | 7 | 3.95 | 26 | 17.5 | 1x100 | DZ5 CE063D | 0.065 |

Single conductor cable ends (In dispenser pack)

| | | | | | | | | | | |
|------|----|-------|--------|-----|-----|------|-----|-------|----------------|-------|
| 0.5 | 22 | White | Medium | 3 | 1.4 | 13 | 8.2 | 5x200 | AZ5 CE005D (1) | 0.140 |
| 0.75 | 20 | Grey | Medium | 3.1 | 1.6 | 13 | 8.2 | 5x200 | AZ5 CE007D (1) | 0.150 |
| 1 | 18 | Red | Medium | 3.4 | 1.8 | 13.5 | 8.2 | 5x200 | AZ5 CE010D (1) | 0.165 |
| 1.5 | 16 | Black | Medium | 4 | 2.1 | 13.5 | 8.2 | 5x200 | AZ5 CE015D (1) | 0.180 |
| 2.5 | 14 | Blue | Medium | 4.6 | 2.7 | 14.5 | 8.2 | 5x100 | AZ5 CE025D (1) | 0.160 |


Single conductor cable ends (Strips of 50, packed in bag)

| | | | | | | | | | | |
|------|----|-------|--------|-----|-----|----|---|-------|-------------|-------|
| 0.5 | 22 | White | Medium | 3.1 | 1.3 | 14 | 8 | 10x50 | DZ5 CEB005D | 0.380 |
| 0.75 | 20 | Grey | Medium | 3.3 | 1.5 | 14 | 8 | 10x50 | DZ5 CEB007D | 0.470 |
| 1 | 18 | Red | Medium | 3.5 | 1.7 | 14 | 8 | 10x50 | DZ5 CEB010D | 0.500 |
| 1.5 | 16 | Black | Medium | 4 | 2 | 14 | 8 | 10x50 | DZ5 CEB015D | 0.570 |
| 2.5 | 14 | Blue | Medium | 4.7 | 2.5 | 14 | 8 | 10x50 | DZ5 CEB025D | 0.720 |


Twin conductor cable ends (In dispenser pack)

| | | | | | | | | | | |
|----------|----|-------|--------|-----------|------|------|----|-------|----------------|-------|
| 2 x 0.75 | 20 | Grey | Medium | 2.8 x 5 | 2 | 15 | 8 | 5x100 | AZ5 DE007D (2) | 0.130 |
| 2 x 1 | 18 | Red | Medium | 3.4 x 5.4 | 2.25 | 15 | 8 | 5x100 | AZ5 DE010D (2) | 0.140 |
| 2 x 1.5 | 16 | Black | Medium | 3.6 x 6.6 | 2.5 | 15 | 8 | 5x100 | AZ5 DE015D (2) | 0.155 |
| 2 x 2.5 | 14 | Blue | Medium | 4.2 x 7.8 | 3.2 | 18.5 | 10 | 5x50 | AZ5 DE025D (2) | 0.145 |


(1) UL certified products.
(2) cCSAus certified products.




DZ5 CA0●●




DZ5 CA●●●●




DZ5 CA●●●●




DZ5 CA●●●●
(with clip-in marker tag holder)




AR1 SC02



AR1 SC03



AR1 M●01. AR1 MC01●



AT1 PS1

AT1 PA1

Single conductor markable cable ends (Packed in "strings" of bags)

| Conductor c.s.a. | Colour | Type | Dimensions | | | | Sold in lots of | Unit reference | Weight per lot | |
|---------------------|--------|-------|------------|------|-----|------|--------------------|-------------------|-------------------|-------|
| | | | Ø b | Ø b1 | c | c1 | | | | |
| mm ² | AWG | | mm | mm | mm | mm | | | kg | |
| 0.5 | 22 | White | Medium | 3 | 1.4 | 13 | – | 10x100 | DZ5 CA005D (1) | 0.160 |
| 0.75 | 20 | Grey | Medium | 3.1 | 1.6 | 13 | – | 10x100 | DZ5 CA007D (1) | 0.160 |
| 1 | 18 | Red | Medium | 3.4 | 1.8 | 13.5 | – | 10x100 | DZ5 CA010D (1) | 0.160 |
| 1.5 | 16 | Black | Medium | 4 | 2.1 | 13.5 | – | 10x100 | DZ5 CA015D (1) | 0.180 |
| 2.5 | 14 | Blue | Medium | 4.6 | 2.7 | 14.5 | – | 10x100 | DZ5 CA025D (1) | 0.250 |

Single conductor cable ends with facility for clip-in marker tag holder (DIN 46228)

| | | | | | | | | | | |
|----|----|--------|--------|------|------|------|------|--------|----------------|-------|
| 4 | 12 | Orange | Medium | 5.5 | 3.3 | 19.5 | 11.5 | 10x100 | DZ5 CA042D (1) | 0.300 |
| 6 | 10 | Green | Medium | 7 | 3.95 | 20 | 11.5 | 1x100 | DZ5 CA062D | 0.045 |
| 10 | 8 | Red | Medium | 8.4 | 4.95 | 21.5 | 12 | 1x100 | DZ5 CA102D | 0.060 |
| | | | Long | 8.4 | 4.95 | 27 | 17.5 | 1x100 | DZ5 CA103D | 0.090 |
| 16 | 6 | Blue | Medium | 9.8 | 6.35 | 23.5 | 12 | 1x100 | DZ5 CA162D | 0.080 |
| | | | Long | 9.8 | 6.35 | 29 | 17.5 | 1x100 | DZ5 CA163D | 0.100 |
| 25 | 4 | Yellow | Long | 12 | 8.15 | 30 | 17.5 | 1x100 | DZ5 CA253D | 0.156 |
| 35 | 2 | Red | Medium | 13.5 | 9 | 30 | 16 | 1x20 | DZ5 CA352D | 0.054 |
| | | | Long | 13.5 | 9 | 39 | 25 | 1x20 | DZ5 CA353D | 0.060 |
| 50 | 0 | Blue | Medium | 15.7 | 11 | 36 | 20 | 1x20 | DZ5 CA502D | 0.060 |
| | | | Long | 15.7 | 11 | 41 | 25 | 1x20 | DZ5 CA503D | 0.072 |

Marking accessories for insulated, markable cable ends

| Description | Sold in lots of | Unit reference | Weight per lot kg | |
|--|--------------------|-------------------|-------------------------|-------|
| Clip-on marker tag (2) (for cables 1 to 1.5 mm ²) | 100 | AR1 SC02 | 0.100 | |
| Clip-in marker tag holder (2) (for single conductor cable ends DZ5 CA●●●●) | 100 | AR1 SC03 | 0.100 | |
| Markers conforming to NF C 93-011 colour coding | 200 | AR1 MC01● (3) | 0.010 | |
| Wallets of 200 markers for DZ5 CA cable ends or clip-on marker tags (4) | Letters | 1 lot | AR1 MB01 (5) | 0.310 |
| | | 1 card | AR1 MB01● (6) | 0.010 |
| | Numbers | 1 lot | AR1 MA01 (7) | 0.150 |
| | | 1 card | AR1 MA01● (8) | 0.010 |

Accessories for fitting markers

| Description | Application | Reference | Weight kg |
|---|--|-----------|--------------|
| Marker holder | Comprises 10 empty compartments which can each hold 100 AR1 MA01 or AR1 MB01 markers | AT1 PS1 | 0.300 |
| Tool for quick positioning of AR1 M●01 markers | On cable end tags | AT1 PA1 | 0.010 |

(1) UL certified products.

(2) For rapid clip-on mounting of up to 7 markers AR1 M●●●.

(3) Complete the reference by adding the number indicating the colour required:

| Number | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
|---------------|-------|-------|--------|--------|-------|-------|--------|-------|-------|-------|
| Marker colour | Brown | Red | Orange | Yellow | Green | Blue | Violet | Grey | White | Black |
| Number colour | White | Black | Black | Black | Black | Black | Black | Black | Black | White |

(4) Each lot also comprises 400 earth markers (200 green and 200 yellow), 200 + symbols, 200 – symbols and 1 marker positioning tool.

(5) A to Z (200 of each).

(6) Complete the reference by replacing the dot with the required letter. Each lot includes a card of 200 yellow markers with black letters.

(7) 0 to 9 (200 of each).

(8) Complete the reference by replacing the dot with the required number. Each lot includes a card of 200 yellow markers with black numbers.