
Installer Guide



Interact Pro connected lighting

For small and medium-sized enterprises



Find out more about Interact www.Interact-lighting.com

Intuitive app and dashboard that works with Philips Interact Ready LED tubes and luminaires to bring the power of IoT to small and medium-sized enterprises.

Lights. Insights. Action.



Your customers are your business. So transform both.

Lighting is becoming connected. With the Interact Pro app and dashboard, you can give your customers unique benefits:

- · Show them how to personalise light in their workspace
- · Help them make significant savings in energy
- · Gather data which establishes you as a trusted advisor and long-term partner

Connected lighting technology has already made its mark in larger corporations. But why should only they get all the benefits? Small and medium enterprises can now motivate employees and boost productivity by creating a better working environment.

Lights can dim or go off automatically when they're not needed. Employees can personalise lighting settings. And business owners can pick up a whole stream of information on how much energy they're using.

You've always been a pro. Now, you can take things a step further. Introduce your customers to the possibilities of connected lighting and simplify your own work at the same time. Take on more projects, complete them faster and create partnerships that last with Interact Pro.



How the connected lighting system comes together

Interact Pro software







Interact Pro app



Interact Pro dashboard (Installer & End User versions)

interact ready.



Key benefits:

- Fast installation, no cables*
- Easy setup through intuitive app
- Become a trusted advisor through expert insights

How does Interact Pro help you?

Interact Pro is a huge step forward in what you can offer your customers. But it doesn't involve complex work on your part. In fact, the opposite is true.

Speedy setup

Enjoy high-speed commissioning with the intuitive Interact Pro app. There's no need for costly signal cables (e.g. DALI cables). And there's minimal training required. That means you can do more projects at a faster pace with minimal hassle.

Expert insights

Your customers already know the value of LED, but wait until they learn the additional benefits of Interact Pro. When they understand how it creates additional savings and generates valuable data on their system's health and the efficiency of its operations, they'll see you differently. As a connected lighting expert. Over time, you'll become a trusted advisor, highlighting new insights you've uncovered from the Interact Pro dashboard.

*No signal cables (e.g. DALI) required. Lighting still requires power cables.

What does Interact Pro mean for your customers?

Better lighting, happier workers


First and foremost, staff get used to handling or adjusting their own lighting. They can easily adjust it for the task at hand. Better working conditions mean improved morale and productivity and make it easier to attract and retain the best employees.

Efficiency-driven savings

The next benefit? That's energy savings. Lighting sensors work with Interact Pro to figure out if a particular area is in use or not. And if it isn't, the lights automatically dim or turn off. That's less manual switching and more energy saved for your customers. The system can even sense the level of ambient daylight and adjust the lighting accordingly. This helps businesses meet regulatory targets and qualify for green business subsidies. It also contributes to the company image, in terms of commitment to social responsibility.

Valuable data insights

Last, but not least, there's data. To ensure businesses get full value from their lighting, they can gather and interpret data. With the Interact Pro app and dashboard, you can help your customers interpret a wealth of information, such as energy usage, light settings and automation. And that way, you can take on the role of a trusted advisor.





Get connected in 5 simple steps

We've designed this cloud-connected lighting system to be so simple that it can be activated via our intuitive mobile app.



Once you're set up, you and your customers can start using the Interact Pro dashboard. This is where the really clever stuff happens. You can access valuable insights into how the lighting system is performing and make decisions based on these insights.

And as for the lights themselves, Interact Pro works seamlessly with the Philips Interact Ready LED tubes, luminaires and sensors and switches. It couldn't be easier.

Wireless gateway

• Link to (Wifi) router via Ethernet cable

Interact Pro app

Installers

- Project and user management administration
- Easy joining of light sources
- Linked light source and accessories information
- Creation of rooms, zones, on/off/dim
 and customisation

Connect up to 200 light points

Business owners

- Lighting scene management via smartphone
- Lighting scheduling
- Energy consumption feedback
- Various user rights settings

Interact Pro dashboard

The Interact Pro dashboard has a range of features that can help your business:

- Clear overview of all customer installations in the field
- Real-time health status and alerts
- Rich product information for each installed device, enabled via Service Tag app
- Remote project management (including lighting settings)
- Real-time lighting usage and energy consumption data
- Future-ready platform


Installers

- Save time and money by making fewer unnecessary trips, knowing you have the right parts for every job
- Guarantee and provide a professional service level to customers
- Improve relationships with customers by taking a proactive approach in providing data-driven advice
- Identify and respond to issues like performance problems or forecasted device failures ahead of time
- Identify and order the correct parts as soon as they're needed

Business owners


- Desktop view of information provided in the Interact Pro app
- Adapt lighting, set scenes and adjust schedule settings
- Manage user rights
- Monitor energy usage

Interact Pro at a glance



Wherever you work, it works

Offices. Industrial units. Parking spaces. There's almost no limit to the places Interact Pro can work. Whether it's micro, small, or medium-sized, Interact Pro can make a critical difference to your customer's business. You can customise the software's settings for specific workspaces. Whether you're connecting 20 light points or 200, Interact Pro helps everyone to work smarter. Start talking to your customers about the possibilities. And see your own business grow.




Philips Interact Ready connected lighting

Interact Pro software is designed to be affordable for small and medium-sized enterprises. It works with any Philips Lighting connected LED tubes and luminaires that are Interact Ready. Sensors and wall switches are interoperable and upgradeable, meaning you're prepared for any changes the future might throw at you.

Your customers can start saving energy straight away, with direct point-for-point replacement of conventional lights.

For more information, visit www.philips.com/interact-ready



Products overview

PHILIPS

interact ready.

Product	Wattage	Lifetime	Luminous flux	Colour temperature
Philips	22W	50,000 hrs	1100 lm	3000 K
CoreLine downlight	22W	50,000 hrs	1100 lm	4000 K
Interact Ready	22W	50,000 hrs	2100 lm	3000 K
	22W	50,000 hrs	2100 lm	4000 K
	26W	50,000 hrs	1100 lm	3000 K
	26W	50,000 hrs	1100 lm	4000 K
	26W	50,000 hrs	2100 lm	3000 K
	26W	50,000 hrs	2100 lm	4000 K
Philips CoreLine	27 W	50,000 hrs	2000 lm	3000 K
slim downlight Interact Ready*	27 W	50,000 hrs	2000 lm	4000 K
Philips CoreLine	35 W	50,000 hrs	3600 lm	4000K
panel Interact	35 W	50,000 hrs	3600 lm	4000K
Ready	35 W	50,000 hrs	3600 lm	4000K
	35 W	50,000 hrs	3600 lm	4000K
	40 W	50,000 hrs	3600 lm	4000K
	40 W	50,000 hrs	3600 lm	4000K
	40 W	50,000 hrs	3600 lm	4000K
	40 W	50,000 hrs	3600 lm	4000K
Philips	36.5 W	50,000 hrs	4100 lm	4000K
CoreLine	49.5 W	50,000 hrs	6000 lm	4000K
waterproof Interact Ready	39.5 W	50,000 hrs	4100 lm	4000K
interactiveday	52.5 W	50,000 hrs	6000 lm	4000K

CRI	Product description	EOC code
≥ 80	DN130B LED20S/830 IA1 WH	39709800
≥ 80	DN130B LED20S/840 IA1 WH	39710400
≥ 80	DN131B LED20S/830 IA1 ALU	39711100
≥ 80	DN131B LED20S/840 IA1 ALU	39712800
≥ 80	DN130B LED20S/830 ELB3 IA1 WH	40053800
≥ 80	DN130B LED20S/840 ELB3 IA1 WH	40054500
≥ 80	DN131B LED20S/830 ELB3 IA1 ALU	40055200
≥ 80	DN131B LED20S/840 ELB3 IA1 ALU	40056900
≥ 80	DN135B LED20S/830 IA1 WH	38922299
≥ 80	DN135B LED20S/840 IA1 WH	38924699
≥ 80	RC132V LED36S/840 W60L60 IA1 NOC	38516300
≥ 80	RC132V LED36S/840 W60L60 IA1 OC	38520000
≥ 80	RC132V LED36S/840 W30L120 IA1 NOC	38519400
≥ 80	RC132V LED36S/840 W30L120 IA1 OC	38523100
≥ 80	RC132V LED36S/840 W60L60 ELB3 IA1 NOC	40133700
≥ 80	RC132V LED36S/840 W30L120 ELB3 IA1 NOC	40134400
≥ 80	RC132V LED36S/840 W60L60 ELB3 IA1 OC	40135100
≥ 80	RC132V LED36S/840 W30L120 ELB3 IA1 OC	40136800
≥ 80	WT120C LED40S/840 IA1 L1200	39713500
≥ 80	WT120C LED60S/840 IA1 L1500	39714200
≥ 80	WT120C LED40S/840 IA1 EL3 L1200	39980100
≥ 80	WT120C LED60S/840 IA1 EL3 L1500	39981800

Continued overleaf

PHILIPS

interact ready.

Product	Wattage	Lifetime	Luminous flux	Colour temperature
Philips CoreLine	35.5W	50,000 hrs	3700 lm	4000 K
recessed luminaire	35.5W	50,000 hrs	3700 lm	4000 K
Interact Ready *	35.5W	50,000 hrs	3700 lm	4000 K
	35.5W	50,000 hrs	3700 lm	4000 K
Philips CoreLine	39W	50,000 hrs	3700 lm	4000 K
recessed luminaire	39W	50,000 hrs	3700 lm	4000 K
Interact Ready with emergency	39W	50,000 hrs	3700 lm	4000 K
lighting (ELB3) *	39W	50,000 hrs	3700 lm	4000 K
Philips CoreLine	35.5W	50,000 hrs	3700 lm	4000K
surface-mounted luminaire Interact	35.5W	50,000 hrs	3700 lm	4000K
Ready *	35.5W	50,000 hrs	3700 lm	4000K
	35.5W	50,000 hrs	3700 lm	4000K
Philips	16.5 W	50,000 hrs	2300 lm	3000 K
MasterConnect LEDtube T8 Ultra Output	16.5 W	50,000 hrs	2500 lm	4000 K
	16.5 W	50,000 hrs	2500 lm	6500 K
	25.5 W	50,000 hrs	3400 lm	3000 K
	25.5 W	50,000 hrs	3700 lm	4000 K
	25.5 W	50,000 hrs	3700 lm	6500 K

Product	Product description	EOC code	
Philips switch Interact Ready	UID8450/10 ZGP Switch Dim 2B	44931800	
Philips occupancy sensor Interact Ready	OCC SENSOR IA CM IP42 WH	77752700	
For more information, visit www.philips.com/interact-ready			

CRI	Product description	EOC code
≥ 80	RC134B LED37S/840 W60L60 IA1 OC	99648500
≥ 80	RC134B LED37S/840 W60L60 IA1 NOC	99649200
≥ 80	RC134B LED37S/840 W30L120 IA1 NOC	99653900
≥ 80	RC134B LED37S/840 W30L120 IA1 OC	99654600
≥ 80	RC134B LED37S/840 W60L60 ELB3 IA1 NOC	99658400
≥ 80	RC134B LED37S/840 W60L60 ELB3 IA1 OC	99659100
≥ 80	RC134B LED37S/840 W30L120 ELB3 IA1 OC	99660700
≥ 80	RC134B LED37S/840 W30L120 ELB3 IA1 NOC	99661400
≥ 80	SM134V LED37S/840 W20L120 IA1 NOC	99670600
≥ 80	SM134V LED37S/840 W20L120 IA1 OC	99671300
≥ 80	SM134V LED37S/840 W60L60 IA1 NOC	99672000
≥ 80	SM134V LED37S/840 W60L60 IA1 OC	99673700
≥ 80	MAScon LEDtube IA 1200mm UO 16.5W830 T8	77342000
≥ 80	MAScon LEDtube IA 1200mm UO 16.5W840 T8	77344400
≥ 80	MAScon LEDtube IA 1200mm UO 16.5W865 T8	77346800
≥ 80	MAScon LEDtube IA 1500mm UO 25.5W830 T8	77348200
≥ 80	MAScon LEDtube IA 1500mm UO 25.5W840 T8	77350500
≥ 80	MAScon LEDtube IA 1500mm UO 25.5W865 T8	77352900

Product	Product description	EOC code
Interact Pro wireless gateway	LCN1840/05 Wireless Gateway EU	77579000

Search interact Pro lighting

to find out more

Find out how Interact can transform your business ${\bf www.Interact-lighting.com}$



© 2018 Philips Lighting Holding B.V. All rights reserved. Philips reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.