



## ACOLOED1000

Colossus HO LED Floodlight - 1000W Daylight



## Features

- Die-cast aluminium luminaire with symmetrical light distribution
- High output, high efficiency floodlight
- Suitable for large external sports or industrial applications
- 1000W comparable to performance of 2000W HQI
- Supplied with remote mounted control gear in an IP65 enclosure
- IK08 rating
- LED Lifespan L70 50,000 hours
- Non-dimmable

## General Information

|                                |          |
|--------------------------------|----------|
| Lamp Type                      | LED      |
| Colour / Finish                | Black    |
| IP Rating                      | IP65     |
| Class Protection               | 1        |
| Internal / External            | External |
| Surface / Recessed / Suspended | Surface  |
| Warranty (Years)               | 5        |
| CE Mark                        | Yes      |
| Width (mm)                     | 740      |
| Height (mm)                    | 603      |
| Depth (mm)                     | 194      |

## Technical Information

|                  |               |
|------------------|---------------|
| Wattage          | 1000W         |
| Lumens Delivered | 132827lm      |
| Lm/W             | 133 Lm/W      |
| Beam Angle       | 60            |
| CRI              | 70            |
| CCT              | 5000K         |
| Input            | 100/240V      |
| Hertz            | 50/60Hz       |
| Operating Temp   | -40°C to 50°C |

Datasheet generated from <https://www.electrika.com> last updated Monday, February 11, 2019 4:33:51 PM

