



AOCTO/IC/50

OCTO Indoor Controller 50W



Features

Push-fit loop-in, loop-out terminals for ease and speed of installation

Screw-less design

Intuitive fast operation from a smart lighting App

Future proofed free software and firmware updates

Can be used to control a group, sub groups or individual luminaires

Settings easily commissioned by a smart device

Bluetooth wireless mesh ensures reliable and fast operation. Range between devices: 30m internal 50m external**. **Range is dependent on surroundings and obstacles, such as walls and building materials.

App commissioning includes, full control, dimming, scene setting and pre-set timer

General Information

Colour / Finish	White / Grey
------------------------	--------------

IP Rating	IP20
------------------	------

Class Protection	1
-------------------------	---

Internal / External	Internal
----------------------------	----------

Surface / Recessed / Suspended	Recessed
---------------------------------------	----------

Warranty (Years)	5
-------------------------	---

CE Mark	Yes
----------------	-----

Length (mm)	195
--------------------	-----

Width (mm)	60
-------------------	----

Depth (mm)	33
-------------------	----

Technical Information

Wattage	50W
----------------	-----

Input	220V-240V
--------------	-----------

Hertz	50/60Hz
--------------	---------

Technical Data - ETIM 6 - Controller for luminaires (EC002924)

Suitable for outdoor use	No
---------------------------------	----

Input voltage	220-240 V
----------------------	-----------

Degree of protection (IP)	IP20
----------------------------------	------

Protection class	I
-------------------------	---

Length	195 mm
---------------	--------

Width	60 mm
--------------	-------

Height	33 mm
---------------	-------

Datasheet generated from <https://www.electrika.com> last updated Monday, June 17, 2019 8:32:07 AM

