



AOCTO/RGBW/BTC

OCTO Indoor CCT/RGBW Controller 12-24V



Features

12-24V bluetooth smart controller

Compatible with Adder and Cobra LED strip

Option to use externally within a waterproof enclosure

Timed colour alert or changes for different daily events

Initial start up provides the user with options for RGBW, RGB, tunable white and single colour

Shared/common positive output with 4 negatives outputs allow for 4 channel control

App commissioning includes full control, dimming, scene setting and pre-set timer

Settings easily commissioned by a smart device via the OCTO app

Bluetooth wireless mesh ensures reliable and fast operation. Range between devices: 30m internal 50m external**. **Range is dependent on surroundings and obstacles, such as walls and building materials.

General Information

IP Rating	IP20
Class Protection	3
Internal / External	Internal
Surface / Recessed / Suspended	Surface
Warranty (Years)	5
CE Mark	Yes
Length (mm)	73
Width (mm)	30

Technical Information

Input	12-24VDC
-------	----------

Technical Data - ETIM 6 - Controller for luminaires (EC002924)

Suitable for outdoor use	No
Input voltage	12-24 V
Degree of protection (IP)	IP20
Protection class	III
Length	73 mm
Width	30 mm

Datasheet generated from <https://www.electrika.com> last updated Monday, June 17, 2019 8:32:07 AM

