



## AGLED/3M

Guardian LED Bulkhead Maintained / Non-Maintained 3W White



## Features

Ultra-slim profile LED polycarbonate bulkhead.

Supplied with self-adhesive legend.

20mm side, end and rear cable entries.

Hinged screwless gear tray for ease of installation.

Viewing distance 18 metres.

## General Information

Lamp Type	LED
Colour / Finish	White
IP Rating	IP65
Class Protection	1
Internal / External	Internal/External
Surface / Recessed / Suspended	Surface
Warranty (Years)	3
CE Mark	Yes
Width (mm)	352
Height (mm)	110
Depth (mm)	64
Accessories	AGLED/KIT, ASBP/2

## Technical Information

Wattage	3W
Lumens Delivered	144lm (Emergency), 180lm (Standard)
CCT	6500K
Input	230V
Hertz	50/60Hz
Operating Temp	0C° to 40C°

# Technical Data - ETIM - Emergency luminaire (EC001957)

<b>Mounting method</b>	Wall surface mounted / ceiling surface mounting
<b>Function</b>	Escape route lighting
<b>Labelling type</b>	Sticker
<b>With light source</b>	Yes
<b>Material housing</b>	Plastic
<b>Colour housing</b>	White
<b>Nominal voltage</b>	230-230 V
<b>Degree of protection (IP)</b>	IP65
<b>Protection class</b>	I
<b>Max. system power</b>	3 W
<b>Colour temperature</b>	6500-6500 K
<b>Recognition distance</b>	18 m
<b>Width</b>	110 mm
<b>Height/depth</b>	64 mm
<b>Length</b>	352 mm

Datasheet generated from <https://onetimepim.com> last updated Thursday, August 6, 2020 9:20:21 AM

