APLULED

Pluto LED 35W - Cool White

Features

Stylish LED recessed modular

UGR>14 (unified glare rating) compliant Ideal for office, school, retail and commercial applications

Exceeds performance of 2 x 55W PL-L

LED lifespan L70 50,000 hours

General Information

Lamp Type	LED
Colour / Finish	White
IP Rating	IP20
Class Protection	2
Internal / External	Internal
Surface / Recessed / Suspended	Recessed
Warranty (Years)	5
CE Mark	Yes
Length (mm)	595
Width (mm)	595
Height (mm)	28

Technical Information

Wattage	35W
Lumens Delivered	3591lm
Lm/W	112lm
CRI	Ra 80
CCT	4000K
Input	230V
Hertz	50/60Hz
Operating Temp	-20 to 45°C

Technical Data - ETIM - Ceiling-/wall luminaire (EC002892)

Suitable for wall mounting	No
Suitable for suspended mounting	No
Suitable for ceiling mounting	Yes
Suitable for built-in mounting	Yes
Suitable for surface mounting	No
Nominal voltage	230-230 V
Control gear included	Yes
No dim function	Yes
Degree of protection (IP)	IP20
Protection class	II
Suitable for emergency lighting	No
With movement sensor	No
With light sensor	No
Max. system power	35 W
Rated luminous flux acc. IEC 62722-2-1	3591 lm
Colour of light	White
Colour temperature	4000-4000 K
Colour rendering index CRI	80-89
Luminaire efficacy	112 lm/W
Width	595 mm
Height/depth	28 mm
Length	595 mm

Datasheet generated from https://onetimepim.com last updated Monday, November 4, 2019 2:47:48 PM


595
595
28