



ATLLED4

Topline 6 LED Batten 26W - Cool White



Features

- High performance LED batten for multi-purpose applications
- Exceeds performance of T5 equivalents
- Steel body construction with powder coat finish
- Unique opal diffuser design for optimum performance and light distribution
- Polycarbonate end caps
- Instant light output with unlimited switching
- LED lifespan L70 36,000 hours

General Information

Lamp Type	LED
Colour / Finish	White
IP Rating	IP20
IK Rating	IK08
Class Protection	1
Internal / External	Internal
Surface / Recessed / Suspended	Surface/Suspended
Warranty (Years)	5
CE Mark	Yes
Length (mm)	1220
Width (mm)	65
Height (mm)	65

Technical Information

Wattage	26W
Lumens Delivered	2616lm
Lm/W	100lm
CRI	Ra 80
CCT	4000K
Input	220/240V
Hertz	50Hz
Operating Temp	-10°C to 40°C

Technical Data - ETIM - Batten luminaire (EC000109)

With light source	Yes
Suitable for number of lamps	1
Material	Steel
Colour housing	White
Nominal voltage	220-240 V
Control gear included	Yes
No dim function	Yes
Suitable for emergency lighting	No
Degree of protection (IP)	IP20
Protection class	I
With movement sensor	No
Max. system power	29 W
Rated luminous flux acc. IEC 62722-2-1	2874 lm
Colour of light	White
Colour temperature	4000-4000 K
Colour rendering index CRI	80-89
Width	65 mm
Height/depth	65 mm
Length	1220 mm

Datasheet generated from <https://onetimepim.com> last updated Monday, May 11, 2020 12:48:44 PM

	Code	A	B	C	D
	ATLLED4	1220	600	65	65
	ATLLED5	1525	600	65	65
	ATLLED6	1745	600	65	65
	ATLLED2X4	1220	600	65	65
	ATLLED2X5	1525	600	65	65
	ATLLED2X6	1745	600	65	65