



## **AVANTLED3/DM3**

Vantage CCT 3 Downlight DALI-Emergency



### **Features**

CCT selectable LED performance downlight suitable for commercial and education applications

Deep cut-off angle for glare control and comfort

One product provides 3000K,4000K and 6500K colour temperature options

Downlight design allows installation into existing hole cut-outs from 150mm to 200mm

Powered by Tridonic

## General Information

---

<b>Lamp Type</b>	LED
<b>Colour / Finish</b>	White
<b>Emergency</b>	Yes
<b>Bluetooth Enabled</b>	Yes
<b>IP Rating</b>	IP20
<b>Class Protection</b>	2
<b>Internal / External</b>	Internal
<b>Surface / Recessed / Suspended</b>	Recessed
<b>Lifetime (Hrs)</b>	L80 60,000h
<b>Warranty (Years)</b>	5
<b>CE Mark</b>	Yes
<b>Diameter (mm)</b>	172 mm
<b>Height (mm)</b>	98 mm

---

# Technical Information

<b>Wattage</b>	20W
<b>Lumens Delivered</b>	2100lm (4000K)
<b>Lm/W</b>	112lm/W (4000K)
<b>Beam Angle</b>	75
<b>CRI</b>	80
<b>CCT</b>	3000/4000/6500K
<b>Input</b>	220/240V
<b>Hertz</b>	50/60Hz
<b>Operating Temp</b>	-25°C to 40°C
<b>SDCM</b>	6
<b>UGR</b>	25

Datasheet generated from <https://onetimepim.com> last updated Thursday, October 13, 2022 10:01:21 PM



