AMICG/AB

Features

Compact Fire Rated downlight for shallow ceiling voids.

Suitable for standard GU10 LED or halogen lamps retrofit.

Protective polycarbonate spring clip covers for ceiling protection and ease of installation.

Dedicated forward heat lamps NOT required.

Extra large terminals for fast loop-in, loop-out wiring.

Twistlock lamp retaining ring for ease of lamp replacement.

Ultra-slim bezel profile.

General Information

Lamp Type	GU10
Colour / Finish	Antique Brass
Fire Rated	Yes
OCTO Compatibility	Smart Indoor controller
IP Rating	IP20
Class Protection	1
Internal / External	Internal
Surface / Recessed / Suspended	Recessed
Warranty (Years)	Life
CE Mark	Yes
Diameter (mm)	90
Height (mm)	89

Technical Information

Wattage	50W

Technical Data - ETIM - Downlight/spot/floodlight (EC001744)

Suitable for surface mounting	No
Suitable for built-in mounting	Yes
Suitable for wall mounting	No
Suitable for suspended mounting	No
Suitable for ceiling mounting	Yes
Suitable for traverse mounting	No
Suitable for pedestal/floor mounting	No
Suitable for light-track mounting	No
Adjustability	Swivelling
With movement sensor	No
With light sensor	No
With light source	No
Suitable for number of lamps	1
Lamp holder	GU10
Colour housing	Brass
Degree of protection (IP)	IP20
Protection class	I
Max. system power	50 W
Height/depth	89 mm
Outer diameter	90 mm
Built-in diameter	68 mm

Datasheet generated from https://onetimepim.com last updated Tuesday, December 1, 2020 9:47:28 AM


89
68
90
76